Date of Inspection **U.S. Army Corps of Engineers Safety Inspection Checklist Abbreviated Accident Prevention Plan, Form A-01** Location (Plant or Facility) Contract Number Contractor Name Project Name Inspector Name (Print) Inspector Signature This checklist serves as a quide only. It does not replace or eliminate the need to comply with the requirements set forth in Engineering Manual 385-1-1, Safety and Health Requirements Manual, dated 30 September 2014. The references Included In this checklist correspond to the applicable sections of EM 385-1-1. In lieu of a fully-developed APP, for Limited-Scope Service, Supply and R&D Contracts (e.g. grass mowing, park attendant, rest room cleaning, etc.), the Contracting Officer (KO) and local Safety and Occupational Health Office (SOHO) may allow an Abbreviated APP to be developed and submitted for acceptance. The abbreviated APP shall address the following areas at a minimum. If other areas of the EM 385-1-1 are pertinent to the contract, the contractor must assure these areas are addressed as well. **Item Description** Yes No N/A Remarks (Any NO or N/A Item) 1. Signature sheet a. Includes the name, title, signature, and phone number of the Plan Preparer. (Qualified person, i.e. corporate safety staff person, QC) 2.Background information a. Includes the Contractor Name. b. Includes the Contract Number. c. Includes the Project Name.

5. Training

employee.

d(1). Includes the Brief Project Description.

safe and healthful workplace for all employees.

4. Responsibilities and Lines of Authorities

implementation of his SOH program.

c. Includes the lines of authority.

d(2). Includes a means to evaluate the work being done (see AHA requirements in 01.A.14) associated hazards involved and a RAC assigned to each. The overall RAC for the activity must be determined (based on highest task RAC) and

3. Statement of Safety and Health Policy detailing their commitment to providing a

b. Includes the identification and job responsibilities of personnel responsible for

a. Includes new hire SOH orientation training at the time of initial hire of each new

a. Includes a statement of the employer's ultimate responsibility for the

safety - at both corporate and project level - including their resumes.

b. Includes any periodic retraining/recertification requirements.

accepted at the appropriate level in order for work to proceed.

e. Includes a Description of the Work to be Performed.f. Location of Work being Performed, to Include a Map.

U.S. Army Corps of Engineers
Safety Inspection Checklist
Abbreviated Accident Prevention Plan, Form A-01

Date of Inspection

Item Description	Yes	No	N/A	Remarks (Any NO or N/A item)
6. Procedures for job site inspections - assignment of responsibilities and frequency.				
7a. Procedures for reporting man-hours worked.				
7b. Includes procedures for reporting and investigating any mishaps required by Section 01.D.				
8. Emergency Planning. Employees working alone shall be provided an effective means of emergency communication. This may be cellular phone, two-way radio or other acceptable means. The selected means of communication must be readily available and must be in working condition.				
Drinking Water provisions, toilet and washing facilities.				
10. First Aid and CPR training (at least two employees on each shift shall be qualified/certified to administer first aid and CPR) and provision <i>of</i> first aid kit (types/size).				
11. Personal Protective Equipment				
a. Work Clothing - Minimum Requirements. Employees to wear clothing suitable for the weather; minimum requirements for work shall be short-sleeve shirt, long pants (excessively long or baggy pants are prohibited) and leather work shoes. If AHA determines safety-toed (or other protective) footwear is necessary (i.e., mowing, weed eating, chain saw use, etc), they shall be worn.				
b. Eye and Face Protection. Eye and face protection shall be worn as determined by an analysis of the operations being performed HOWEVER, all involved in chain saw use, chipping, stump grinding, pruning operations, grass mowing, weed eating and blowing operations shall be provided safety eyewear (Z87.1) as a minimum.				
c. Hearing Protection. Hearing protection must be worn by all exposed to high noise activities (includes grass mowing/trimming, chainsaw operations, tree chipping, stump grinding and pruning)				
d. Head Protection. Hard hats shall comply with ANSI Z89.1 and shall be worn by all workers when a head hazard exists, per Section 05.D.				
e. High Visibility Apparel shall comply with ANSI/ISEA 107, Class 2 requirements at a minimum and shall be worn by all workers exposed to vehicular or equipment traffic.				
f. Protective Leg chaps shall be worn by all chainsaw operators.				
g. Gloves of the proper type shall be worn by persons involved in activities that expose the hands to cuts, abrasions, punctures, bums and chemical irritants.				
h. If work is being performed around water and drowning is a hazard, PFD's must be provided and worn as appropriate.				
12. Machine Guards and safety devices. Power tools/equipment must have appropriate guards and safety devices in place and operational.				

U.S. Army Corps of Engineers Safety Inspection Checklist ated Accident Prevention Plan. Form A-0

Date of Inspection

Item Description 3. Hazardous Substances. When any hazardous substances are procured, used, fored or disposed, a Hazard Communication Program must be in place and ISDSs (SDSs) shall be available at the worksite. Employees shall have received aining in hazardous substances being used. When the eyes or body of any erson may be exposed to corrosives, irritants or toxic chemicals, suitable cililies for quick drenching or flushing of the eyes and body shall be provided tithin 10 seconds of the worksite. 4. Traffic control shall be accomplished in accordance with DOT's IUTCD. 5. Control of Hazardous Energy (Lockout/Tagout). Before an employee performs my servicing or maintenance on any equipment where the unexpected energizing startup of the equipment could occur, procedures must be in place to ensure dequate control of the energy. See Section 12. 6. High hazard activities should not be encountered on these types of jobs. If they re (i.e., driving/operating equipment on slopes, working from/in boats, etc.), a elemination shall be made by the KO and local SOH Office as to whether an aboreviated APP is applicable. If so, they shall be fully addressed in the APP. HAs are required on work activities which include high hazard activities.
ored or disposed, a Hazard Communication Program must be in place and SDSs (SDSs) shall be available at the worksite. Employees shall have received aining in hazardous substances being used. When the eyes or body of any erson may be exposed to corrosives, irritants or toxic chemicals, suitable cilities for quick drenching or flushing of the eyes and body shall be provided thin 10 seconds of the worksite. I. Traffic control shall be accomplished in accordance with DOT's UTCD. I. Control of Hazardous Energy (Lockout/Tagout). Before an employee performs py servicing or maintenance on any equipment where the unexpected energizing startup of the equipment could occur, procedures must be in place to ensure dequate control of the energy. See Section 12. I. High hazard activities should not be encountered on these types of jobs. If they e (i.e., driving/operating equipment on slopes, working from/in boats, etc.), a etermination shall be made by the KO and local SOH Office as to whether an obreviated APP is applicable. If so, they shall be fully addressed in the APP. HAs are required on work activities which include high hazard activities.
Control of Hazardous Energy (Lockout/Tagout). Before an employee performs by servicing or maintenance on any equipment where the unexpected energizing startup of the equipment could occur, procedures must be in place to ensure dequate control of the energy. See Section 12. 6. High hazard activities should not be encountered on these types of jobs. If they are (i.e., driving/operating equipment on slopes, working from/in boats, etc.), a determination shall be made by the KO and local SOH Office as to whether an observiated APP is applicable. If so, they shall be fully addressed in the APP. HAs are required on work activities which include high hazard activities.
ny servicing or maintenance on any equipment where the unexpected energizing startup of the equipment could occur, procedures must be in place to ensure dequate control of the energy. See Section 12. 5. High hazard activities should not be encountered on these types of jobs. If they e (i.e., driving/operating equipment on slopes, working from/in boats, etc.), a etermination shall be made by the KO and local SOH Office as to whether an observiated APP is applicable. If so, they shall be fully addressed in the APP. HAs are required on work activities which include high hazard activities.
re (i.e., driving/operating equipment on slopes, working from/in boats, etc.), a etermination shall be made by the KO and local SOH Office as to whether an obbreviated APP is applicable. If so, they shall be fully addressed in the APP. HAs are required on work activities which include high hazard activities.
ther Remarks