DECISION DOCUMENT
NATIONWIDE PERMIT 31

This document discusses the factors considered by the Corps of Engineers (Corps) during the issuance process for this Nationwide Permit (NWP). This document contains: (1) the public interest review required by Corps regulations at 33 CFR 320.4(a)(1) and (2); (2) a discussion of the environmental considerations necessary to comply with the National Environmental Policy Act; and (3) the impact analysis specified in Subparts C through F of the 404(b)(1) Guidelines (40 CFR Part 230). This evaluation of the NWP includes a discussion of compliance with applicable laws, consideration of public comments, an alternatives analysis, and a general assessment of individual and cumulative impacts, including the general potential effects on each of the public interest factors specified at 33 CFR 320.4(a).

1.0 Text of the Nationwide Permit

Maintenance of Existing Flood Control Facilities. Discharges of dredged or fill material resulting from activities associated with the maintenance of existing flood control facilities, including debris basins, retention/detention basins, levees, and channels that: (i) were previously authorized by the Corps by individual permit, general permit, by 33 CFR 330.3, or did not require a permit at the time they were constructed, or (ii) were constructed by the Corps and transferred to a non-Federal sponsor for operation and maintenance. Activities authorized by this NWP are limited to those resulting from maintenance activities that are conducted within the "maintenance baseline," as described in the definition below. Discharges of dredged or fill materials associated with maintenance activities in flood control facilities in any watercourse that have previously been determined to be within the maintenance baseline are authorized under this NWP. This NWP does not authorize the removal of sediment and associated vegetation from natural water courses except when these activities have been included in the maintenance baseline. All dredged material must be placed in an upland site or an authorized disposal site in waters of the United States, and proper siltation controls must be used.

Maintenance Baseline: The maintenance baseline is a description of the physical characteristics (e.g., depth, width, length, location, configuration, or design flood capacity, etc.) of a flood control project within which maintenance activities are normally authorized by NWP 31, subject to any case-specific conditions required by the district engineer. The district engineer will approve the maintenance baseline based on the approved or constructed capacity of the flood control facility, whichever is smaller, including any areas where there are no constructed channels, but which are part of the facility. The prospective permittee will provide documentation of the physical characteristics of the flood control facility (which will normally consist of as-built or approved drawings) and documentation of the approved and constructed design capacities of the flood control facility. If no evidence of the constructed capacity exists, the approved capacity will be used. The documentation will also include best management practices to ensure that the impacts to the aquatic environment are minimal, especially in maintenance areas where there are no constructed channels. (The Corps may

request maintenance records in areas where there has not been recent maintenance.) Revocation or modification of the final determination of the maintenance baseline can only be done in accordance with 33 CFR 330.5. Except in emergencies as described below, this NWP cannot be used until the district engineer approves the maintenance baseline and determines the need for mitigation and any regional or activity-specific conditions. Once determined, the maintenance baseline will remain valid for any subsequent reissuance of this NWP. This NWP does not authorize maintenance of a flood control facility that has been abandoned. A flood control facility will be considered abandoned if it has operated at a significantly reduced capacity without needed maintenance being accomplished in a timely manner.

Mitigation: The district engineer will determine any required mitigation one-time only for impacts associated with maintenance work at the same time that the maintenance baseline is approved. Such one-time mitigation will be required when necessary to ensure that adverse environmental impacts are no more than minimal, both individually and cumulatively. Such mitigation will only be required once for any specific reach of a flood control project. However, if one-time mitigation is required for impacts associated with maintenance activities, the district engineer will not delay needed maintenance, provided the district engineer and the permittee establish a schedule for identification, approval, development, construction and completion of any such required mitigation. Once the one-time mitigation described above has been completed, or a determination made that mitigation is not required, no further mitigation will be required for maintenance activities within the maintenance baseline. In determining appropriate mitigation, the district engineer will give special consideration to natural water courses that have been included in the maintenance baseline and require compensatory mitigation and/or best management practices as appropriate.

Emergency Situations: In emergency situations, this NWP may be used to authorize maintenance activities in flood control facilities for which no maintenance baseline has been approved. Emergency situations are those which would result in an unacceptable hazard to life, a significant loss of property, or an immediate, unforeseen, and significant economic hardship if action is not taken before a maintenance baseline can be approved. In such situations, the determination of mitigation requirements, if any, may be deferred until the emergency has been resolved. Once the emergency has ended, a maintenance baseline must be established expeditiously, and mitigation, including mitigation for maintenance conducted during the emergency, must be required as appropriate.

Notification: The permittee must submit a pre-construction notification to the district engineer before any maintenance work is conducted (see general condition 27). The pre-construction notification may be for activity-specific maintenance or for maintenance of the entire flood control facility by submitting a five-year (or less) maintenance plan. The pre-construction notification must include a description of the maintenance baseline and the dredged material disposal site. (Sections 10 and 404)

1.1 Requirements

General conditions of the NWPs are in the Federal Register notice announcing the issuance of this NWP. Pre-construction notification requirements, additional conditions, limitations, and restrictions are in 33 CFR part 330.

1.2 Statutory Authority

- Section 10 of the Rivers and Harbors Act of 1899 (33 U.S.C. 403)
- Section 404 of the Clean Water Act (33 U.S.C. 1344)

1.3 Compliance with Related Laws (33 CFR 320.3)

1.3.1 General

NWPs are a type of general permit designed to authorize certain activities that have minimal adverse effects on the aquatic environment and generally comply with the related laws cited in 33 CFR 320.3. Activities that result in more than minimal adverse effects on the aquatic environment, individually or cumulatively, cannot be authorized by NWPs. Individual review of each activity authorized by an NWP will not normally be performed, except when preconstruction notification to the Corps is required or when an applicant requests verification that an activity complies with an NWP. Potential adverse impacts and compliance with the laws cited in 33 CFR 320.3 are controlled by the terms and conditions of each NWP, regional and case-specific conditions, and the review process that is undertaken prior to the issuance of NWPs.

The evaluation of this NWP, and related documentation, considers compliance with each of the following laws, where applicable: Sections 401, 402, and 404 of the Clean Water Act; Section 307(c) of the Coastal Zone Management Act of 1972, as amended; Section 302 of the Marine Protection, Research and Sanctuaries Act of 1972, as amended; the National Environmental Policy Act of 1969; the Fish and Wildlife Act of 1956; the Migratory Marine Game-Fish Act; the Fish and Wildlife Coordination Act, the Federal Power Act of 1920, as amended; the National Historic Preservation Act of 1966; the Interstate Land Sales Full Disclosure Act; the Endangered Species Act; the Deepwater Port Act of 1974; the Marine Mammal Protection Act of 1972; Section 7(a) of the Wild and Scenic Rivers Act; the Ocean Thermal Energy Act of 1980; the National Fishing Enhancement Act of 1984; and the Magnuson-Stevens Fishery and Conservation and Management Act. In addition, compliance of the NWP with other Federal requirements, such as Executive Orders and Federal regulations addressing issues such as floodplains, essential fish habitat, and critical resource waters is considered.

1.3.2 Terms and Conditions

Many NWPs have notification requirements that trigger case-by-case review of certain activities. Two NWP general conditions require case-by-case review of all activities that

may adversely affect Federally-listed endangered or threatened species or historic properties (i.e., general conditions 17 and 18). General condition 15 restricts the use of NWPs for activities that are located in Federally-designated wild and scenic rivers. None of the NWPs authorize artificial reefs. General condition 24 prohibits the use of an NWP with other NWPs, except when the acreage loss of waters of the United States does not exceed the highest specified acreage limit of the NWPs used to authorize the single and complete project.

In some cases, activities authorized by an NWP may require other federal, state, or local authorizations. Examples of such cases include, but are not limited to: activities that are in marine sanctuaries or affect marine sanctuaries or marine mammals; the ownership, construction, location, and operation of ocean thermal conversion facilities or deep water ports beyond the territorial seas; activities that result in discharges of dredged or fill material into waters of the United States and require Clean Water Act Section 401 water quality certification; or activities in a state operating under a coastal zone management program approved by the Secretary of Commerce under the Coastal Zone Management Act. In such cases, a provision of the NWPs states that an NWP does not obviate the need to obtain other authorizations required by law. [33 CFR 330.4(b)(2)]

Additional safeguards include provisions that allow the Chief of Engineers, division engineers, and/or district engineers to: assert discretionary authority and require an individual permit for a specific activity; modify NWPs for specific activities by adding special conditions on a case-by-case basis; add conditions on a regional or nationwide basis to certain NWPs; or take action to suspend or revoke an NWP or NWP authorization for activities within a region or state. Regional conditions are imposed to protect important regional concerns and resources. [33 CFR 330.4(e) and 330.5]

1.3.3 Review Process

The analyses in this document and the coordination that was undertaken prior to the issuance of the NWP fulfill the requirements of the National Environmental Policy Act (NEPA), the Fish and Wildlife Coordination Act, and other acts promulgated to protect the quality of the environment.

All NWPs that authorize activities which may result in discharges of dredged or fill material into waters of the United States require water quality certification. NWPs that authorize activities within, or affecting land or water uses within a state that has a Federally-approved coastal zone management program, must also be certified as consistent with the state's program. The procedures to ensure that the NWPs comply with these laws are described in 33 CFR 330.4(c) and (d), respectively.

1.4 Public Comment and Response

For a summary of the public comments received in response to the September 26, 2006, Federal Register notice, refer to the preamble in the Federal Register notice announcing the

reissuance of this NWP. The substantive comments received in response to the September 26, 2006, Federal Register notice were used to improve the NWP by changing NWP terms and limits, notification requirements, and/or NWP general conditions, as necessary.

We proposed to remove the last sentence of the first paragraph of this NWP. In addition, we proposed to add levees to the list of features that can be maintained through the authorization provided by this NWP.

A few commenters stated support for the addition of levees to the list of features that can be maintained with authorization under this NWP. In addition, one commenter recommended that the Corps exempt or develop a streamlined NWP for federally constructed or funded levees where maintenance responsibilities for those levees have reverted to a local agency.

We believe that the NWP program is already a streamlined permit process and discharges associated with federally constructed and funded flood control projects which have reverted to a local agency should still be subject to the requirements of this NWP, including the establishment of a maintenance baseline. At this time, we believe it is necessary to conduct a site specific verification through the pre-construction notification process to ensure that the adverse effects of the project are no more than minimal. The Corps has no authority to exempt discharges of dredged or fill material that occur in conjunction with the maintenance of the facility, or to waive any requirement for necessary mitigation. The inclusion of levees in this NWP does not preclude maintenance of levees that is allowed under other NWP authorizations, such as NWP 3.

One commenter stated that, as flood control projects constructed by the Corps and transferred to a non-federal sponsor have a Corps-developed Operations and Maintenance (O&M) manual , and the sponsor is obligated to perform maintenance according to the O&M manual, the project's as-built drawings and O&M manual should constitute the maintenance baseline. Therefore, no maintenance baseline submittal should be required.

The intent of this NWP is to require the submittal of a maintenance baseline for all projects requesting authorization by this NWP. A non-federal sponsor can submit the as-built drawings and O&M manual from a federally-constructed or funded flood control project. In any case the maintenance baseline must be approved by the district engineer.

Another commenter suggested that the requirement to submit best management practices (BMPs) with the maintenance baseline documentation be eliminated, as BMPs are addressed by several general conditions. This commenter also requested that we clarify the important exception that applies to this NWP in regard to the general condition 27 requirement that the district engineer must approve any compensatory mitigation proposal before the permittee commences work. The Corps disagrees that the requirement to submit BMPs is adequately addressed by general conditions. We believe that inclusion of the BMPs in the documentation is necessary so that the Corps can ensure that the impacts associated with the activity will be no more than minimal. In addition, the inclusion of certain BMPs may reduce the impacts to the aquatic environment and, as a result, the required one-time

mitigation associated with establishing the baseline. The BMPs submitted with the maintenance baseline documentation do not preclude the Corps from requiring additional BMPs that might be necessary to ensure that the maintenance activity results in minimal adverse effects on the aquatic environment. Regarding mitigation approval, we believe the proposed text of this NWP clearly states that for this NWP, the district engineer will not delay necessary maintenance so long as the district engineer and permittee establish a schedule for identification, approval, development, construction and completion of any such required mitigation. It also states that work can begin before approval of the maintenance baseline in emergency situations.

Two commenters opposed adding levees to the list of features that can be maintained through authorization by this NWP. One of these commenters believed that the change constitutes more than a wording change, because levees are large scale structures with impacts that require a thorough assessment. The other commenter stated that levees disrupt natural processes important to floodplains and habitat. They also noted that the presence of levees on a stream does not transform the stream into a flood control facility.

While we agree that the construction of levees may require a thorough assessment of impacts on the watershed, the maintenance of existing levees is an activity that is appropriate for inclusion in this NWP since levees are often integral parts of flood control facilities. This NWP does not authorize the construction of levees. We believe that the limitations and general conditions associated with the NWP will ensure that authorized projects will have no more than minimal adverse effects. The requirement for an approved baseline and the ability to require mitigation provides a safeguard for valuable habitat. The Corps agrees that levees do not make a stream a flood control facility. However, levees are a flood control facility and this NWP should allow maintenance of the levees. In order for flood control activities to occur in the stream, they would have to be included in the maintenance baseline, as described in the text of the NWP.

One commenter observed that the text of this NWP uses the phrase "significantly reduced capacity" when discussing abandonment. They stated that Regulatory Guidance Letter 87-2 discusses the ramification of using the word "significant" in Corps documentation and suggested that it be changed. Another commenter said that this NWP should not authorize actions that need to be taken because of neglect.

We believe that the use of the word "significantly" in this NWP is not contrary to the Regulatory Guidance Letter because it describes a level of reduction in flood capacity and does not relate to any determination of environmental impacts. If a flood control facility can be considered abandoned because of neglect, then the NWP would not authorize the work needed to reconstruct that facility.

Another commenter requested that the fill associated with beaver dam control and maintenance be added to the list of features authorized by this NWP. While the Corps agrees that the maintenance of beaver dam control and maintenance structures may be

authorized by this NWP, this NWP does not authorize fills associated with the construction of new structures.

Two commenters opposed removing the last sentence in the first paragraph of this NWP (regarding types of maintenance activities that do not require section 404 permits) because they believe that the language clarified that vegetation maintenance does not require a section 404 permit. The Corps believes that this sentence is unnecessary, since Section 404 permits are only required for discharges of dredged or fill material, and, per the regulations at 33 CFR 323.2(d)(3)(ii), vegetation removal above the ground, that does not disturb the root system or include redeposition of excavated soil material , is not a discharge of dredged or fill material.

One commenter stated that many existing flood control facilities may not have met the criterion (i.e., it was previously permitted by the Corps, it did not require a permit at the time it was constructed, or it was constructed by the Corps and transferred to a non-federal sponsor), or the permittee cannot provide documentation that the criterion was met. Another commenter requested that this NWP authorize the maintenance of projects that were built by others but accepted as part of a federal flood control project or those that are authorized under state or local flood control laws. Both commenters requested that the Corps modify or eliminate the criterion listed in the first sentence of this paragraph and authorize maintenance of any flood control facility after approving the maintenance baseline and reviewing the activity through the pre-construction notification process. In addition, one commenter stated that the Corps should not consider a flood control facility to be abandoned because vegetation has become established in the facility. That commenter also said that the NWP should compel agencies to perform maintenance more frequently by requiring mitigation for temporal losses in vegetation or habitat. Another commenter stated that agencies should be encouraged to reduce the frequency of maintenance where feasible by approving maintenance baselines that allow for less frequent maintenance. One commenter said that this NWP should also authorize temporary stockpiling as authorized by NWP 12.

The criteria in the first sentence of this NWP cover all properly authorized flood control facilities. Unless a flood control facility was constructed as a result of a Corps Civil Works project, it would have required a Corps permit unless it was constructed in a manner that did not require Corps authorization or it was exempt from permit requirements. If it should have had Corps authorization but did not, we do not think it is appropriate to authorize maintenance under this NWP. The Corps will not generally require documentation of compliance with these criteria, unless there is reason to believe that these criteria are not met.

We believe that the current text accurately describes how a site should be determined to be abandoned. The presence of vegetation does not necessarily indicate that a flood control facility has been abandoned. However, a site may be determined to be abandoned when vegetation has substantially diminished the capacity of the channel. We do not believe it is necessary to require permittees to conduct maintenance more frequently, to prevent the establishment of vegetation within the flood control facility. The one-time mitigation

requirement is sufficient to offset the losses of aquatic resource functions and services that will occur as a result of keeping the facility within the maintenance baseline. Maintenance-related discharges that do not exceed the established maintenance baseline will not result in losses of aquatic resources beyond those addressed at the time the maintenance baseline is established. The frequency of maintenance will depend on the characteristics of the flood control facility and the surrounding area. Those flood control facilities that were constructed in more dynamic environments generally require more frequent maintenance. Because of the various environmental factors affecting the need for maintenance and the physical parameters that apply to an existing facility, it would be difficult to establish a maintenance baseline that lessens the frequency of maintenance. We do not believe it would be appropriate to modify this NWP to authorize temporary stockpiling of sediments and other materials in waters of the United States. Sediments and other materials removed during the maintenance of flood control facilities must be deposited at non-jurisdictional areas, unless the district engineer authorizes temporary stockpiling through a separate Department of the Army authorization.

The previous commenter also remarked that the provisions for emergency situations still require that the permittee submit a pre-construction notification and wait for Corps approval before conducting any emergency work within the flood control facility. They stated that this requirement could compromise public health and safety, as it typically takes one or two days, minimum, to obtain the necessary approval to proceed. They requested deferral of the pre-construction notification requirement until after the emergency maintenance activities have been conducted. We believe that NWP 31, as proposed, is a reasonable and prudent way to minimize the burdens imposed on permittees, within the constraints of applicable law and regulation. It is not appropriate to defer the submittal of a pre-construction notification, due to the fact that the Corps must determine if authorization by this NWP is applicable. The Corps has developed specific procedures for dealing with emergency situations. Entities responsible for maintaining flood control facilities should contact their local Corps office well in advance of the rainy season, to familiarize themselves with the available emergency processing procedures for that district.

One commenter suggested that activities authorized by this NWP instead be authorized by NWP 3. We believe that the specific requirements of this NWP are necessary to ensure that impacts to the aquatic environment are minimal. Incorporating these requirements into NWP 3 would be confusing and make implementation of that NWP more difficult.

Another commenter asserted that this NWP has the potential for more than minimal impacts, based on the fact that there are no limits on acreage or volume of discharges. The commenter also commented that one-time mitigation does not adequately ensure that aquatic functions will be restored, and that limiting mitigation to one-time will result in more than minimal adverse impacts if mature wildlife habitat is destroyed repeatedly. The Corps believes that activities authorized by NWP 31 that comply with the maintenance baseline provision do not result in more than minimal impacts, even without acreage limitations. The establishment of the maintenance baseline, in effect, identifies the location and physical dimensions of waters of the United States that have been incorporated in the flood control

facility. Discharges that result in losses of these waters (i.e., that exceed the maintenance baseline) are not eligible for authorization under NWP 31. In light of this, we believe that the "one-time mitigation requirement" imposed in conjunction with the establishment of the maintenance baseline is sufficient for the purpose of this NWP. The intent of the one-time mitigation is to replace the aquatic functions that may be lost each time maintenance is performed. Once the mitigation is in place, any aquatic functions that develop between maintenance activities, are over and above the level of function that existed before the initial maintenance occurred. For areas or projects with specific issues, the division and district engineer may choose to add regional conditions or special conditions to the NWP authorization.

One commenter made reference to a particular project containing salmonids and stated that an NWP should not have been issued for that particular project. The commenter objected to this NWP authorizing the continued maintenance of the project because the salmonid habitat may have partially recovered and would be repeatedly impacted. While we agree that this can occur, we do not agree that requiring mitigation over and over for what is, in effect, the same impact is appropriate. We believe that the limitations and general conditions included within this NWP will ensure that it will result in no more than minimal effects. The requirement for an approved baseline and the ability to require mitigation provides a way to safeguard valuable habitat.

2.0 Alternatives

This evaluation includes an analysis of alternatives based on the requirements of NEPA, which requires a more expansive review than the Clean Water Act Section 404(b)(1) Guidelines. The alternatives discussed below are based on an analysis of the potential environmental impacts and impacts to the Corps, Federal, Tribal, and state resource agencies, general public, and prospective permittees. Since the consideration of off-site alternatives under the 404(b)(1) Guidelines does not apply to specific projects authorized by general permits, the alternatives analysis discussed below consists of a general NEPA alternatives analysis for the NWP.

2.1 No Action Alternative (No Nationwide Permit)

The no action alternative would not achieve one of the goals of the Corps Nationwide Permit Program, which is to reduce the regulatory burden on applicants for activities that result in minimal adverse effects on the aquatic environment, individually or cumulatively. The no action alternative would also reduce the Corps ability to pursue the current level of review for other activities that have greater adverse effects on the aquatic environment, including activities that require individual permits as a result of the Corps exercising its discretionary authority under the NWP program. The no action alternative would also reduce the Corps ability to conduct compliance actions.

If this NWP is not available, substantial additional resources would be required for the Corps to evaluate these minor activities through the individual permit process, and for the public and Federal, Tribal, and state resource agencies to review and comment on the large number of public notices for these activities. In a considerable majority of cases, when the Corps publishes public notices for proposed activities that result in minimal adverse effects on the aquatic environment, the Corps typically does not receive responses to these public notices from either the public or Federal, Tribal, and state resource agencies. Another important benefit of the NWP program that would not be achieved through the no action alternative is the incentive for project proponents to design their projects so that those activities meet the terms and conditions of an NWP. The Corps believes the NWPs have significantly reduced adverse effects to the aquatic environment because most applicants modify their projects to comply with the NWPs and avoid the delays and costs typically associated with the individual permit process.

In the absence of this NWP, Department of the Army (DA) authorization in the form of another general permit (i.e., regional or programmatic general permits, where available) or individual permits would be required. Corps district offices may develop regional general permits if an NWP is not available, but this is an impractical and inefficient method for activities with minimal individual or cumulative adverse effects on the aquatic environment that are conducted across the Nation. Not all districts would develop these regional general permits for a variety of reasons. The regulated public, especially those companies that conduct work in more than one Corps district, would be adversely affected by the widespread use of regional general permits because of the greater potential for lack of consistency and predictability in the authorization of similar activities with minimal adverse effects on the aquatic environment. These companies would incur greater costs in their efforts to comply with different regional general permit requirements between Corps districts. Nevertheless, in some states Corps districts have issued programmatic general permits to take the place of this and other NWPs. However, this approach only works in states with regulatory programs comparable to the Corps Regulatory Program.

2.2 National Modification Alternatives

Since the Corps Nationwide Permit program began in 1977, the Corps has continuously strived to develop NWPs that authorize activities that result only in minimal adverse effects on the aquatic environment, individually or cumulatively. Every five years the Corps reevaluates the NWPs during the reissuance process, and may modify an NWP to address concerns for the aquatic environment. Utilizing collected data and institutional knowledge concerning activities authorized by the Corps regulatory program, the Corps reevaluates the potential impacts of activities authorized by NWPs. The Corps also uses substantive public comments on proposed NWPs to assess the expected impacts. This NWP was developed to authorize the maintenance of existing flood control facilities, provided those activities have minimal adverse effects on the aquatic environment. The Corps has considered alternative acreage limits and applicable waters for this NWP, as well as modifying or adding NWP general conditions, as discussed in the preamble of the Federal Register notice announcing the issuance of this NWP.

In the September 26, 2006, Federal Register notice, the Corps requested comments on the proposed reissuance of this NWP. The Corps did not propose any substantive changes to this NWP, except to add levee maintenance to the list of examples of activities that may be authorized.

2.3 Regional Modification Alternatives

An important aspect for the NWPs is the emphasis on regional conditions to address differences in aquatic resource functions, services, and values across the nation. All Corps divisions and districts are expected to add regional conditions to the NWPs to enhance protection of the aquatic environment and address local concerns. Division engineers can also revoke an NWP if the use of that NWP results in more than minimal adverse effects on the aquatic environment, especially in high value or unique wetlands and other waters.

Corps divisions and districts also monitor and analyze the cumulative adverse effects of the NWPs, and if warranted, further restrict or prohibit the use of the NWPs to ensure that the NWPs do not authorize activities that result in more than minimal adverse effects on the aquatic environment. To the extent practicable, division and district engineers will use regulatory automated information systems and institutional knowledge about the typical adverse effects of activities authorized by NWPs, as well as substantive public comments, to assess the individual and cumulative adverse effects on the aquatic environment resulting from regulated activities. When conducting such assessments, division and district engineers can only consider those activities regulated by the Corps under Section 10 of the Rivers and Harbors Act, Section 404 of the Clean Water Act, and Section 103 of the Marine Protection, Research, and Sanctuaries Act of 1972. Adverse impacts resulting from activities outside of the Corps scope of review, such as the construction or expansion of upland developments, cannot be considered in the Corps analysis of cumulative adverse effects on the aquatic environment.

2.4 Case-specific On-site Alternatives

Although the terms and conditions for this NWP have been established at the national level to authorize most activities that have minimal adverse effects on the aquatic environment, division and district engineers have the authority to impose case-specific special conditions on an NWP authorization to ensure that the authorized work will result in minimal adverse effects.

General condition 20 requires the permittee to minimize and avoid impacts to waters of the United States to the maximum extent practicable on the project site. Off-site alternatives cannot be considered for activities authorized by NWPs. During the evaluation of a pre-construction notification, the district engineer may determine that additional avoidance and minimization is practicable. The district engineer may also condition the NWP authorization to require compensatory mitigation to offset losses of waters of the United States and ensure that the net adverse effects on the aquatic environment are minimal. As another example,

the NWP authorization can be conditioned to prohibit the permittee from conducting the work during specific times of the year to protect spawning fish and shellfish. If the proposed work will result in more than minimal adverse effects on the aquatic environment, then the district engineer will exercise discretionary authority and require an individual permit. Discretionary authority can be asserted where there are concerns for the aquatic environment, including high value aquatic habitats. The individual permit review process requires a project-specific alternatives analysis, including the consideration of off-site alternatives, and a public interest review.

3.0 Affected Environment

The affected environment consists of terrestrial and aquatic ecosystems. The total land area in the contiguous United States is approximately 1,930,000,000 acres (Dahl 2006). Alaska is 366,050,000 acres in size and Hawaii is 4,110,720 acres in size (source: http://www.usgs.gov/state/ , accessed July 25, 2005). Terrestrial ecosystems comprise more than 93 percent of the contiguous United States and most are abundant compared to aquatic ecosystems, which make up the remainder (Dahl 2006). In the contiguous United States, approximately 67 percent of the land is privately owned, 31 percent is held by the United States government, and two percent is owned by state or local governments (Dale et al. 2000). Developed non-federal lands comprise 4.4 percent of the total land area of the contiguous United States (Dale et al. 2000).

The Federal Geographic Data Committee has established the Cowardin system developed by the U.S. Fish and Wildlife Service (USFWS) (Cowardin et al. 1979) as the national standard for wetland mapping, monitoring, and data reporting (Dahl 2006) (see also http://www.fgdc.gov/standards/projects/FGDC-standards-projects/wetlands/fgdc-announce , accessed April 3, 2006). The Cowardin system is a hierarchical system which describes various wetland and deepwater habitats, using structural characteristics such as vegetation, substrate, and water regime as defining characteristics. Wetlands are defined by vegetation type, soils, and flooding frequency. Deepwater habitats are permanently flooded areas located below the wetland boundary. In rivers and lakes, deepwater habitats are usually more than two meters deep.

There are five major systems in the Cowardin classification scheme: marine, estuarine, riverine, lacustrine, and palustrine (Cowardin et al. 1979). The marine system consists of open ocean on the continental shelf and its high energy coastline. The estuarine system consists of tidal deepwater habitats and adjacent tidal wetlands that are usually partially enclosed by land, but may have open connections to open ocean waters. The riverine system generally consists of all wetland and deepwater habitats located within a river channel. The lacustrine system generally consists of wetland and deepwater habitats located within a topographic depression or dammed river channel, with a total area greater than 20 acres. The palustrine system generally includes all non-tidal wetlands and wetlands located in tidal areas with salinities less than 0.5 parts per thousand; it also includes ponds less than 20 acres in size. Approximately 95 percent of wetlands in the conterminous United States are

freshwater wetlands, and the remaining 5 percent are estuarine or marine wetlands (Dahl 2006).

The Emergency Wetlands Resources Act of 1986 (Public Law 99-645) requires the USFWS to submit wetland status and trends reports to Congress (Dahl 2006). The latest status and trends report, which covers the period of 1998 to 2004, is summarized in Table 3.1.

Table 3.1. Estimated aquatic resource acreages in the conterminous United States in 2004 (Dahl 2006).

Aquatic Habitat Category	Estimated Area in 2004 (acres)
Marine	128,600
Estuarine intertidal non-vegetated	600,000
Estuarine intertidal vegetated	4,571,700
All intertidal waters and wetlands	5,300,300
Palustrine non-vegetated	6,633,900
Palustrine vegetated	95,819,800
• Palustrine emergent wetlands	26,147,000
• Palustrine forested wetlands	52,031,400
• Palustrine shrub wetlands	17,641,400
All palustrine aquatic habitats	102,453,700
Lacustrine deepwater habitats	16,773,400
Riverine deepwater habitats	6,813,300
Estuarine subtidal habitats	17,717,800
All aquatic habitats	149,058,500

The acreage of lacustrine deepwater habitats does not include the open waters of Great Lakes (Dahl 2006).

According to Hall et al. (1994), there are more than 204 million acres of wetlands and deepwater habitats in the State of Alaska, including approximately 174.7 million acres of wetlands. Wetlands and deepwater habitats comprise approximately 50.7 percent of the surface area in Alaska (Hall et al. 1994).

The National Resources Inventory (NRI) is a statistical survey conducted by the Natural Resources Conservation Service (NRCS) (2003) of natural resources on non-federal land in the United States. The NRCS defines non-federal land as privately owned lands, tribal and trust lands, and lands under the control of local and State governments. The land use determined by 2003 NRI is summarized in Table 3.2. The 2003 NRI estimates that there are 110,760,000 acres of palustrine and estuarine wetlands on non-Federal land and water areas in the United States (NRCS 2003).

Table 3.2. The 2003 National Resources Inventory acreages for palustrine and estuarine wetlands on non-federal land, by land cover/use category (NRCS 2003).

National Resources Inventory Land Cover/Use Category	Area of Palustrine and Estuarine Wetlands (acres)
cropland, pastureland, and Conservation Reserve Program land	16,730,000
forest land	65,440,000
rangeland	7,740,000
other rural land	15,800,000
developed land	1,590,000
water area	3,460,000
Total	110,760,000

The land cover/use categories used by the 2003 NRI are defined below (NRCS 2003). Croplands are areas used to produce crops adapted for harvest. Pastureland is land managed for livestock grazing, through the production of introduced forage plants. Conservation Reserve Program land is under a Conservation Reserve Program contract. Forest land is comprised of at least 10 percent single stem woody plant species that will be at least 13 feet tall at maturity. Rangeland is land on which plant cover consists mostly of native grasses, herbaceous plants, or shrubs suitable for grazing or browsing, and introduced forage plant species. Other rural land consists of farmsteads and other farm structures, field windbreaks, marshland, and barren land. Developed land is comprised of large urban and built-up areas (i.e., urban and built-up areas 10 acres or more in size), small built-up areas (i.e., developed lands 0.25 to 10 acres in size) , and rural transportation land (e.g., roads, railroads, and associated rights-of-way outside urban and built-up areas). Water areas are comprised of waterbodies and streams that are permanent open waters.

Leopold, Wolman, and Miller (1964) estimated that there are approximately 3,250,000 miles of river and stream channels in the United States. This estimate is based on an analysis of 1:24,000 scale topographic maps, by stream order. This estimate does not include many small streams. Many small streams are not mapped on 1:24,000 scale U.S. Geological Survey topographic maps (Leopold 1994) or included in other analyses (Meyer and Wallace 2001). In a study of stream mapping in the southeastern United States, only 20% of the stream network was mapped on 1:24,000 scale topographic maps, and nearly none of the observed intermittent or ephemeral streams were indicated on those maps (Hansen 2001). For a 1:24,000 scale topographic map, the smallest tributary found by using 10-foot contour interval has drainage area of 0.7 square mile and length of 1,500 feet, and smaller channels are common throughout the United States (Leopold 1994). Due to the difficulty in mapping small streams, there are no accurate estimates of the total number of river or stream miles in the conterminous United States that may be classified as "waters of the United States."

The USFWS status and trends study does not assess the condition or quality of wetlands and deepwater habitats (Dahl 2006). The Nation's aquatic resource base is underestimated by the USFWS status and trends study, the National Wetland Inventory (NWI), and studies that estimate the length or number of stream channels within watersheds (see above). The 2006 status and trends study does not include Alaska and Hawaii. The underestimate by the status and trends study and the NWI results from the minimum size of wetlands detected through remote sensing techniques and the difficulty of identifying certain wetland types through those remote sensing techniques. The NWI maps do not show small or linear wetlands (Tiner 1997) that may be directly impacted by activities authorized by NWPs. For the latest USFWS status and trends study, most of the wetlands identified are larger than 2.5 acres, but the minimum size of detectable wetland varies by wetland type (Dahl 2006). Some wetland types less than one acre in size can be identified; the smallest wetland detected for the most recent status and trends report was 0.005 acre (Dahl 2006). Because of the limitations of remote sensing techniques, certain wetland types are not included in the USFWS status and trends study: seagrass beds, submerged aquatic vegetation, submerged reefs, certain types of forested wetlands, and emergent wetlands along the Pacific coast (Dahl 2006). Therefore, activities authorized by NWPs will adversely affect a smaller proportion of the Nation's wetland base than indicated by the wetlands acreage estimates provided in the most recent status and trends report, or the NWI maps for a particular region.

Not all of the Nation's aquatic resources are subject to regulatory jurisdiction under Section 404 of the Clean Water Act. Waters of the United States subject to Section 404 of the Clean Water Act are defined at 33 CFR part 328. Some wetlands are not subject to Clean Water Act jurisdiction because they do not meet the criteria at Part 328. In its decision in *Solid Waste County of Northern Cook County v. U.S. Army Corps of Engineers*, 531 U.S. 159 (2001), the U.S. Supreme Court ruled that Clean Water Act jurisdiction does not apply to isolated, intrastate, non-navigable waters based on their use as habitat for migratory birds. Tiner (2003) estimated that in some areas of the country, the proportion of wetlands that are geographically isolated, and may not be subject to Clean Water Act jurisdiction is approximately 20 to 50 percent of the wetland area, and there are other areas where more than 50 percent of the wetlands are geographically isolated. Geographically isolated wetlands comprise a substantial proportion of the wetlands found in regions with arid, semi-arid, and semi-humid climates, as well as areas with karst topography (Tiner 2003). However, it is difficult to determine from maps or aerial photographs whether wetlands are hydrologically isolated from other waters, because there may be small surface hydrologic connections that are not included on those maps or detected by those photographs (Tiner 2003).

This NWP authorizes activities in all waters of the United States. These waters are included in the estuarine, palustrine, lacustrine, and riverine systems of the Cowardin classification system.

Wetland functions are the biophysical processes that occur within a wetland (King et al. 2000). Wetlands provide many functions, such as habitat for fish and shellfish, habitat for waterfowl and other wildlife, habitat for rare and endangered species, food production, plant

production, flood conveyance, flood-peak reduction, flood storage, shoreline stabilization, water supply, ground water recharge, pollutant removal, sediment accretion, and nutrient uptake (NRC 1992).

Functions provided by streams include sediment transport, water transport, transport of nutrients and detritus, habitat for many species of plants and animals (including endangered or threatened species), and maintenance of biodiversity (NRC 1992). Streams also provide nutrient cycling functions, food web support, and transport organisms (Allan 1995).

Freshwater ecosystems provide services such as water for drinking, household uses, manufacturing, thermoelectric power generation, irrigation, and aquaculture; production of finfish, waterfowl, and shellfish; and non-extractive services, such as flood control, transportation, recreation (e.g., swimming and boating), pollution dilution, hydroelectric generation, wildlife habitat, soil fertilization, and enhancement of property values (Postel and Carpenter 1997).

Marine ecosystems provide a number of ecosystem services, including fish production; materials cycling (e.g., nitrogen, carbon, oxygen, phosphorous, and sulfur); transformation, detoxification, and sequestration of pollutants and wastes produced by humans; support of ocean-based recreation, tourism, and retirement industries; and coastal land development and valuation, including aesthetics related to living near the ocean (Peterson and Lubchenco 1997).

Activities authorized by this NWP will provide services that are valued by society. For example, maintenance activities will ensure the continued functioning of flood control facilities. Fully functional flood control facilities help reduce flood hazards, including threats to the health and safety of communities as well as damages to property.

4.0 Environmental Consequences

4.1 General Evaluation Criteria

This document contains a general assessment of the foreseeable effects of the individual activities authorized by this NWP, the anticipated cumulative effects of those activities, and the potential future losses of waters of the United States that are estimated to occur until the expiration date of the NWP. In the assessment of these individual and cumulative effects, the terms and limits of the NWP, notification requirements, and the standard NWP general conditions are considered. The supplementary documentation provided by division engineers will address how regional conditions affect the individual and cumulative effects of the NWP.

The following evaluation comprises the NEPA analysis, the public interest review specified in 33 CFR 320.4(a)(1) and (2), and the impact analysis specified in Subparts C through F of the 404(b)(1) Guidelines (40 CFR Part 230).

The issuance of an NWP is based on a general assessment of the effects on public interest and environmental factors that are likely to occur as a result of using this NWP to authorize activities in waters of the United States. As such, this assessment must be speculative or predictive in general terms. Since NWPs authorize activities across the nation, projects eligible for NWP authorization may be constructed in a wide variety of environmental settings. Therefore, it is difficult to predict all of the indirect impacts that may be associated with each activity authorized by an NWP. For example, the NWP that authorizes 25 cubic yard discharges of dredged or fill material into waters of the United States may be used to fulfill a variety of project purposes. Indication that a factor is not relevant to a particular NWP does not necessarily mean that the NWP would never have an effect on that factor, but that it is a factor not readily identified with the authorized activity. Factors may be relevant, but the adverse effects on the aquatic environment are negligible, such as the impacts of a boat ramp on water level fluctuations or flood hazards. Only the reasonably foreseeable direct or indirect effects are included in the environmental assessment for this NWP. Division and district engineers will impose, as necessary, additional conditions on the NWP authorization or exercise discretionary authority to address locally important factors or to ensure that the authorized activity results in no more than minimal individual and cumulative adverse effects on the aquatic environment. In any case, adverse effects will be controlled by the terms, conditions, and additional provisions of the NWP. For example, Section 7 Endangered Species Act consultation will be required for activities that may affect endangered or threatened species or critical habitat.

4.2 Impact Analysis

This NWP authorizes discharges of dredged or fill material into waters of the United States for the maintenance of existing flood control facilities that were either authorized by a Department of the Army permit or were constructed by the Corps and transferred to a non-federal sponsor for operation and maintenance. These activities are limited to the maintenance baselines of those facilities.

Pre-construction notification is required for all activities authorized by this NWP. The pre-construction notification requirement allows district engineers to review proposed activities on a case-by-case basis to ensure that the adverse effects of those activities on the aquatic environment are minimal. If the district engineer determines that the adverse effects of a particular project are more than minimal after considering mitigation, then discretionary authority will be asserted and the applicant will be notified that another form of DA authorization, such as a regional general permit or individual permit, is required (see 33 CFR 330.4(e) and 330.5).

Additional conditions can be placed on proposed activities on a regional or case-by-case basis to ensure that the work has minimal adverse effects on the aquatic environment. Regional conditioning of this NWP will be used to account for differences in aquatic resource functions, services, and values across the country, ensure that the NWP authorizes only those activities with minimal individual or cumulative adverse effects on the aquatic environment, and allow each Corps district to prioritize its workload based on where its

efforts will best serve to protect the aquatic environment. Regional conditions can prohibit the use of an NWP in certain waters (e.g., high value waters or specific types of wetlands or waters), lower notification thresholds, or require notification for all work in certain watersheds or types of waters. Specific NWPs can also be revoked on a geographic or watershed basis where the adverse effects resulting from the use of those NWPs are more than minimal.

In high value waters, division and district engineers can: 1) prohibit the use of the NWP in those waters and require an individual permit or regional general permit; 2) impose an acreage limit on the NWP; 3) add regional conditions to the NWP to ensure that the adverse environmental effects are minimal; or 4) for those activities that require notification, add special conditions to NWP authorizations, such as compensatory mitigation requirements, to ensure that the adverse effects on the aquatic environment are minimal. NWPs can authorize activities in high value waters as long as the individual and cumulative adverse effects on the aquatic environment are minimal.

The construction and use of fills for temporary access for construction may be authorized by NWP 33 or regional general permits issued by division or district engineers. The related work must meet the terms and conditions of the specified permit(s). If the discharge is dependent on portions of a larger project that require an individual permit, this NWP will not apply. [See 33 CFR 330.6(c) and (d)]

4.3 Cumulative Impacts

The cumulative impacts of an NWP generally depends on the number of times the permit is used on a national basis. However, in a specific watershed, division or district engineers may determine that the cumulative adverse effects of activities authorized by NWPs are more than minimal. Division and district engineers will conduct more detailed assessments for geographic areas that are determined to be potentially subject to more than minimal cumulative adverse effects. Division and district engineers have the authority to require individual permits where the cumulative adverse effects are more than minimal, or add conditions to the NWP either on a case-by-case or regional basis to ensure that the cumulative adverse effects are minimal. When division or district engineers determine that a geographic area is subject to more than minimal cumulative adverse effects due to the use of the NWPs, they will use the revocation and modification procedure at 33 CFR 330.5. In reaching the final decision, they will compile information on the cumulative adverse effects and supplement this document.

Based on reported use of this NWP during fiscal year 2003 and the period of July 1, 2005 to June 30, 2006, the Corps estimates that this NWP will be used approximately 26 times per year on a national basis, resulting in impacts to approximately 11 acres of waters of the United States, including jurisdictional wetlands. The Corps estimates that approximately 7 acres of compensatory mitigation will be required to offset these impacts. The demand for these types of activities could increase or decrease over the five-year duration of this NWP. Using the current trend, approximately 130 activities could be authorized over a five year

period until this NWP expires, resulting in impacts to approximately 55 acres of waters of the United States, including jurisdictional wetlands. Approximately 35 acres of compensatory mitigation would be required to offset those impacts. The required compensatory mitigation will attenuate cumulative impacts on the Nation's aquatic resources, so that the net effects on the aquatic environment resulting from the activities authorized by this NWP will be minimal. The Corps expects that the convenience and time savings associated with the use of this NWP will encourage applicants to design their projects within the scope of the NWP rather than request individual permits for projects which could result in greater adverse impacts to the aquatic environment.

5.0 Public Interest Review

5.1 Public Interest Review Factors (33 CFR 320.4(a)(1))

For each of the 20 public interest review factors, the extent of the Corps consideration of expected impacts resulting from the use of this NWP is discussed, as well as the reasonably foreseeable cumulative adverse effects that are expected to occur. The Corps decision process involves consideration of the benefits and detriments that may result from the activities authorized by this NWP.

(a) Conservation: The activities authorized by this NWP may modify the natural resource characteristics of the project area. Compensatory mitigation, if required for activities authorized by this NWP, will result in the restoration, enhancement, establishment, or preservation of aquatic habitats that will offset losses of conservation values. The adverse effects of activities authorized by this NWP on conservation will be minor.

(b) Economics: The maintenance of existing flood control facilities will have positive impacts on the local economy. These maintenance activities will generate jobs and revenue for local contractors. Maintaining the design capacities of flood control facilities will help reduce the frequency of floods that cause economic losses for residents and businesses served by these flood control facilities.

(c) Aesthetics: The maintenance of flood control facilities will cause minor alterations to the visual character of waters of the United States. The extent and perception of these changes will vary, depending on the size and configuration of the flood control facility, the extent of the maintenance activities, the nature of the surrounding area, and the public uses of the area. During maintenance activities, there will be temporary impacts to other aesthetic characteristics, such as air quality and noise levels.

(d) General environmental concerns: Activities authorized by this NWP will affect general environmental concerns, such as water, air, noise, and land pollution. The authorized work will also affect the physical, chemical, and biological characteristics of the environment. The adverse effects of the activities authorized by this NWP on general environmental concerns will be minor. Adverse effects to the chemical composition of the aquatic

environment will be controlled by general condition 6, which states that the material used for construction must be free from toxic pollutants in toxic amounts. General condition 20 requires mitigation to minimize adverse effects to the aquatic environment through avoidance and minimization at the project site. Compensatory mitigation may be required by district engineers when the maintenance baseline is approved, to ensure that the net adverse effects on the aquatic environment are minimal. It is important to note that the Corps scope of review is usually limited to impacts to aquatic resources. Specific environmental concerns are addressed in other sections of this document.

(e) Wetlands: The maintenance of existing flood control facilities may result in the destruction of wetlands that developed after the flood control facility was constructed. In most cases, the affected wetlands will be excavated, especially where wetlands developed on accumulated sediments within the flood control facility. Some wetlands may be temporarily impacted by the work through the use of temporary staging areas and access roads. These wetlands will be restored, unless the district engineer authorizes another use for the area, but the plant community may be different.

Wetlands provide habitat, including foraging, nesting, spawning, rearing, and resting sites for aquatic and terrestrial species. The destruction of wetlands may alter natural drainage patterns. Wetlands reduce erosion by stabilizing the substrate. Wetlands also act as storage areas for stormwater and flood waters. Wetlands may act as groundwater discharge or recharge areas. The loss of wetland vegetation will adversely affect water quality because these plants trap sediments, pollutants, and nutrients and transform chemical compounds. Wetland vegetation also provides habitat for microorganisms that remove nutrients and pollutants from water. Wetlands, through the accumulation of organic matter, act as sinks for some nutrients and other chemical compounds, reducing the amounts of these substances in the water.

General condition 20 requires avoidance and minimization of impacts to waters of the United States, including wetlands, at the project site. Compensatory mitigation may be required by district engineers when the maintenance baseline is approved, to ensure that the adverse effects to the aquatic environment are minimal. Additional compensatory mitigation will not be required for additional maintenance activities conducted within the maintenance baseline. General condition 19 prohibits the use of this NWP to discharge dredged or fill material in designated critical resource waters and adjacent wetlands, which may include high value wetlands. Division engineers can regionally condition this NWP to restrict or prohibit the use of this NWP in high value wetlands. District engineers will also exercise discretionary authority to require an individual permit if the wetlands to be filled are high value and the work will result in more than minimal adverse effects on the aquatic environment. District engineers can also add case-specific special conditions to the NWP authorization to provide protection to wetlands or require compensatory mitigation to offset losses of wetlands.

(f) Historic properties: General condition 18 states that in cases where the district engineer determines that the activity may affect properties listed, or eligible for listing, in the National

Register of Historic Places, the activity is not authorized, until the requirements of Section 106 of the National Historic Preservation Act have been satisfied.

(g) Fish and wildlife values: This NWP authorizes activities in waters of the United States, including open waters and wetlands, which provide habitat to many species of fish and wildlife. Activities authorized by this NWP may alter the habitat characteristics of open waters and wetlands, decreasing the quantity and quality of fish and wildlife habitat. Wetland and riparian vegetation provides food and habitat for many species, including foraging areas, resting areas, corridors for wildlife movement, and nesting and breeding grounds. Open waters provide habitat for fish and other aquatic organisms. Woody riparian vegetation shades streams, which reduces water temperature fluctuations and provides habitat for fish and other aquatic animals. Riparian vegetation provides organic matter that is consumed by fish and aquatic invertebrates. Woody riparian vegetation creates habitat diversity in streams when trees and large shrubs fall into the channel, forming snags that provide habitat and shade for fish. The morphology of a stream channel may be altered by activities authorized by this NWP, which can affect fish populations. However, the NWP does not authorize the removal of sediment and associated vegetation from natural streams except to the extent established in the maintenance baseline. Pre-construction notification is required for all maintenance activities authorized by this NWP, which provides district engineers with opportunities to review the proposed work and assess potential impacts on fish and wildlife values and ensure that the authorized activity results in minimal adverse effects on the aquatic environment. When the maintenance baseline is established, compensatory mitigation may be required by district engineers to restore, enhance, establish, and/or preserve wetlands and other aquatic habitats to offset losses of waters of the United States. The establishment and maintenance of riparian areas next to open and flowing waters may also be required as compensatory mitigation. These methods of compensatory mitigation will provide fish and wildlife habitat values.

General condition 2 will reduce the adverse effects to fish and other aquatic species by prohibiting activities that substantially disrupt the necessary life cycle movements of indigenous aquatic species, unless the primary purpose of the activity is to impound water. Compliance with general conditions 3 and 5 will ensure that the authorized work has minimal adverse effects on spawning areas and shellfish beds, respectively. The authorized work cannot have more than minimal adverse effects on breeding areas for migratory birds, due to the requirements of general condition 4.

Consultation pursuant to the essential fish habitat provisions of the Magnuson-Stevens Fishery Conservation and Management Act will occur as necessary for proposed NWP activities that may adversely affect essential fish habitat. Consultation may occur on a case-by-case or programmatic basis. Division and district engineers can impose regional and special conditions to ensure that activities authorized by this NWP will result in minimal adverse effects on essential fish habitat.

(h) Flood hazards: The activities authorized by this NWP will not adversely affect the flood-holding capacity of 100-year floodplains, including surface water flow velocities, because

the NWP authorizes the maintenance of existing flood control facilities. Changes in the flood-holding capacity of 100-year floodplains may impact human health, safety, and welfare. Restoring flood control facilities to their design capacities will enhance public safety. Much of the land area within 100-year floodplains is upland, and outside of the Corps scope of review.

(i) Floodplain values: Activities authorized by this NWP may affect the flood-holding capacity of the floodplain, as well as other floodplain values. The fish and wildlife habitat values of floodplains may be adversely affected by activities authorized by this NWP, by modifying or eliminating areas used for nesting, foraging, resting, and reproduction. The water quality functions of floodplains may also be adversely affected by these activities. Modification of the floodplain may also adversely affect other hydrological processes, such as groundwater recharge. All activities authorized by this NWP require pre-construction notification, so that district engineers can review the proposed work to ensure that those activities result in minimal adverse effects on the aquatic environment.

When the maintenance baseline is established for a particular flood control facility, compensatory mitigation may be required, which will offset losses of waters of the United States and provide water quality functions and wildlife habitat. General condition 20 requires avoidance and minimization of impacts to waters of the United States to the maximum extent practicable at the project site, which will reduce losses of floodplain values. The mitigation requirements of general condition 20 will help ensure that the adverse effects of these activities on floodplain values are minimal.

(j) Land use: Activities authorized by this NWP not change land use, since the NWP authorizes only maintenance activities for existing flood control facilities. The general public will benefit from the maintenance of the flood control facilities, because flood control facilities protect current land uses from flood damages.

(k) Navigation: Activities authorized by this NWP must comply with general condition 1, which states that no activity may cause more than minimal adverse effects on navigation. This NWP requires notification for all maintenance activities, which will allow district engineers to review the proposed work and determine if there will be any adverse effects on navigation.

(l) Shore erosion and accretion: The activities authorized by this NWP will have minor adverse effects on shore erosion and accretion processes. Flood control facility maintenance activities may involve the removal of sediments from the waterway, which can adversely affect shore erosion and accretion processes. The removal of sediments from the waterway may cause increased erosion rates. In response to a pre-construction notification, the district engineer review the proposed work to ensure that there are minimal adverse effects on shore erosion and accretion.

(m) Recreation: Activities authorized by this NWP are unlikely to change the recreational uses of the project area because the NWP authorizes only maintenance activities. Certain

recreational activities, such as bird watching, hunting, and fishing should still be available in the area.

(n) Water supply and conservation: Activities authorized by this NWP will have minor adverse effects on surface water and groundwater supplies, since the NWP is limited to maintenance activities. Activities authorized by this NWP will not increase demand for potable water in the region. Some water pollution concerns can be addressed through the water quality certification that may be required for activities authorized by this NWP. General condition 7 prohibits discharges in the vicinity of public water supply intakes. When the maintenance baseline is established, compensatory mitigation may be required for activities authorized by this NWP, which will help improve the quality of surface waters.

(o) Water quality: The maintenance of existing flood control facilities in wetlands and open waters may have adverse effects on water quality. These activities can result in increases in nutrients, sediments, and pollutants in the water. The loss of wetland and riparian vegetation will adversely affect water quality because these plants trap sediments, pollutants, and nutrients and transform chemical compounds. Wetland and riparian vegetation also provides habitat for microorganisms that remove nutrients and pollutants from water. Wetlands, through the accumulation of organic matter, act as sinks for some nutrients and other chemical compounds, reducing the amounts of these substances in the water column. Wetlands and riparian areas also decrease the velocity of flood waters, removing suspended sediments from the water column and reducing turbidity. Riparian vegetation also serves an important role in the water quality of streams by shading the water from the intense heat of the sun. When maintenance baselines are established for activities authorized by this NWP, compensatory mitigation may be required to ensure that the work does not have more than minimal adverse effects on the aquatic environment, including water quality. Wetlands and riparian areas restored, established, enhanced, or preserved as compensatory mitigation may provide local water quality benefits.

During construction, small amounts of oil and grease from construction equipment may be discharged into the waterway. Because most of the construction will occur during a relatively short period of time, the frequency and concentration of these discharges are not expected to have more than minimal adverse effects on overall water quality.

This NWP requires a Section 401 water quality certification, since it authorizes discharges of dredged or fill material into waters of the United States. Most water quality concerns are addressed by the state or Tribal Section 401 agency.

(p) Energy needs: During construction, the activities authorized by this NWP will increase energy consumption in the area, especially electricity, natural gas, and petroleum products.

(q) Safety: The activities authorized by this NWP will be subject to Federal, state, and local safety laws and regulations. Therefore, this NWP will not adversely affect the safety of the project area.

(r) Food and fiber production: Activities authorized by this NWP will have minor adverse effects on food and fiber production, because it is limited to the maintenance of existing flood control facilities. The maintenance of existing flood control facilities will not decrease the amount of agricultural land, unless that land is used as deposit sites for dredged or excavated material. The loss of farmland is more appropriately addressed through the land use planning and zoning authority held by state and local governments.

(s) Mineral needs: Activities authorized by this NWP may increase demand for aggregates and stone, which could be used to stabilize areas within flood control facilities. Activities authorized by this NWP may increase the demand for other materials, such as steel, aluminum, and copper, which are made from mineral ores.

(t) Considerations of property ownership: The NWP complies with 33 CFR 320.4(g), which states that an inherent aspect of property ownership is a right to reasonable private use. The NWP provides expedited DA authorization for discharges of dredged or fill material to maintain existing flood control facilities, provided the activity complies with the terms and conditions of the NWP and results in minimal adverse effects on the aquatic environment.

5.2 Additional Public Interest Review Factors (33 CFR 320.4(a)(2))

5.2.1 Relative extent of the public and private need for the proposed structure or work

This NWP authorizes discharges of dredged or fill material into waters of the United States for flood control facility maintenance activities that have minimal adverse effects on the aquatic environment, individually and cumulatively. These activities satisfy public and private needs for flood damage reduction measures. The need for this NWP is based upon the large number of these activities that occur annually with minimal adverse effects on the aquatic environment.

5.2.2 Where there are unresolved conflicts as to resource use, the practicability of using reasonable alternative locations and methods to accomplish the objective of the proposed structure or work

Most situations in which there are unresolved conflicts concerning resource use arise when environmentally sensitive areas are involved (e.g., special aquatic sites, including wetlands) or where there are competing uses of a resource. The nature and scope of the activity, when planned and constructed in accordance with the terms and conditions of this NWP, reduce the likelihood of such conflict. In the event that there is a conflict, the NWP contains provisions that are capable of resolving the matter (see Section 1.2 of this document).

General condition 20 requires permittees to avoid and minimize adverse effects to waters of the United States to the maximum extent practicable on the project site. Consideration of off-site alternative locations is not required for activities that are authorized by general permits. General permits authorize activities that have minimal individual and cumulative adverse effects on the aquatic environment and overall public interest. District engineers

will exercise discretionary authority and require an individual permit if the proposed work will result in more than minimal adverse environmental effects on the project site. The consideration of off-site alternatives can be required during the individual permit process.

5.2.3 The extent and permanence of the beneficial and/or detrimental effects which the proposed structure or work is likely to have on the public and private uses to which the area is suited

The nature and scope of the work authorized by the NWP will most likely restrict the extent of the beneficial and detrimental effects to the area immediately surrounding the existing flood control facility. Activities authorized by this NWP will have minimal adverse effects on the aquatic environment.

The terms, conditions, and provisions of the NWP were developed to ensure that individual and cumulative adverse environmental effects are minimal. Specifically, NWPs do not obviate the need for the permittee to obtain other Federal, state, or local authorizations required by law. The NWPs do not grant any property rights or exclusive privileges (see 33 CFR 330.4(b) for further information). Additional conditions, limitations, restrictions, and provisions for discretionary authority, as well as the ability to add activity-specific or regional conditions to this NWP, will provide further safeguards to the aquatic environment and the overall public interest. There are also provisions to allow suspension, modification, or revocation of the NWP.

6.0 Clean Water Act Section 404(b)(1) Guidelines Analysis

The 404(b)(1) compliance criteria for general permits are provided at 40 CFR 230.7.

6.1 Evaluation Process (40 CFR 230.7(b))

6.1.1 Alternatives (40 CFR 230.10(a))

General condition 20 requires permittees to avoid and minimize discharges of dredged or fill material into waters of the United States to the maximum extent practicable on the project site. The consideration of off-site alternatives is not directly applicable to general permits.

6.1.2 Prohibitions (40 CFR 230.10(b))

This NWP authorizes discharges of dredged or fill material into waters of the United States, which require water quality certification. Water quality certification requirements will be met in accordance with the procedures at 33 CFR 330.4(c).

No toxic discharges will be authorized by this NWP. General condition 6 states that the material must be free from toxic pollutants in toxic amounts.

This NWP does not authorize activities that jeopardize the continued existence of any listed threatened or endangered species or result in the destruction or adverse modification of critical habitat. Reviews of preconstruction notifications, regional conditions, and local operating procedures for endangered species will ensure compliance with the Endangered Species Act. Refer to general condition 17 and to 33 CFR 330.4(f) for information and procedures.

This NWP will not authorize the violation of any requirement to protect any marine sanctuary. Refer to section 6.2.3(j)(1) of this document for further information.

6.1.3 Findings of Significant Degradation (40 CFR 230.10(c))

Potential impact analysis (Subparts C through F): The potential impact analysis specified in Subparts C through F is discussed in section 6.2.3 of this document. Mitigation required by the district engineer will ensure that the adverse effects on the aquatic environment are minimal.

Evaluation and testing (Subpart G): Because the terms and conditions of the NWP specify the types of discharges that are authorized, as well as those that are prohibited, individual evaluation and testing for the presence of contaminants will normally not be required. If a situation warrants, provisions of the NWP allow division or district engineers to further specify authorized or prohibited discharges and/or require testing.

Based upon Subparts B and G, after consideration of Subparts C through F, the discharges authorized by this NWP will not cause or contribute to significant degradation of waters of the United States.

6.1.4 Factual determinations (40 CFR 230.11)

The factual determinations required in 40 CFR 230.11 are discussed in section 6.2.3 of this document.

6.1.5 Appropriate and practicable steps to minimize potential adverse impacts (40 CFR 230.10(d))

As demonstrated by the information in this document, as well as the terms, conditions, and provisions of this NWP, actions to minimize adverse effects (Subpart H) have been thoroughly considered and incorporated into the NWP. General condition 20 requires permittees to avoid and minimize discharges of dredged or fill material into waters of the United States to the maximum extent practicable on the project site. Compensatory mitigation required by the district engineer will ensure that the net adverse effects on the aquatic environment are minimal.

6.2 Evaluation Process (40 CFR 230.7(b))

6.2.1 Description of permitted activities (40 CFR 230.7(b)(2))

As indicated by the text of this NWP in section 1.0 of this document, and the discussion of potential impacts in section 4.0, the activities authorized by this NWP are sufficiently similar in nature and environmental impact to warrant authorization under a single general permit. Specifically, the purpose of the NWP is to authorize discharges of dredged or fill material for the maintenance of existing flood control facilities. The nature and scope of the impacts are controlled by the terms and conditions of the NWP.

The activities authorized by this NWP are sufficiently similar in nature and environmental impact to warrant authorization by a general permit. The terms of the NWP authorize a specific category of activity (i.e., discharges of dredged or fill material for the maintenance of existing flood control facilities) in a specific category of waters (i.e., waters of the United States). The restrictions imposed by the terms and conditions of this NWP will result in the authorization of activities that have similar impacts on the aquatic environment, namely the modification of aquatic habitats that result when an existing flood control facilities is restored to its maintenance baseline.

If a situation arises in which the activity requires further review, or is more appropriately reviewed under the individual permit process, provisions of the NWPs allow division and/or district engineers to take such action.

6.2.2 Cumulative effects (40 CFR 230.7(b)(3))

The cumulative effects, including the number of activities likely to be authorized under this NWP, are discussed in section 4.3 of this document. If a situation arises in which the proposed activity requires further review, or is more appropriately reviewed under the individual permit process, provisions of the NWPs allow division and/or district engineers to take such action.

6.2.3 Section 404(b)(1) Guidelines Impact Analysis, Subparts C through F

(a) Substrate: Discharges of dredged or fill material into waters of the United States will alter the substrate of those waters, and changing the physical, chemical, and biological characteristics of the substrate. The original substrate will be removed or covered by other material. Temporary fills may be placed upon the substrate, but must be removed upon completion of the work (see general condition 13). Higher rates of erosion may result during construction, but general condition 12 requires the use of appropriate measures to control soil erosion and sediment.

(b) Suspended particulates/turbidity: Depending on the method of construction, soil erosion and sediment control measures, equipment, composition of the bottom substrate, and wind and current conditions during construction, fill material placed in open waters will

temporarily increase water turbidity. Notification is required for all discharges, which will allow the district engineer to review each activity and ensure that adverse effects on the aquatic environment are minimal. Particulates will be resuspended in the water column during removal of temporary fills. The turbidity plume will normally be limited to the immediate vicinity of the disturbance and should dissipate shortly after each phase of the construction activity. General condition 12 requires the permittee to stabilize exposed soils and other fills, which will reduce turbidity. NWP activities cannot create turbidity plumes that smother important spawning areas downstream (see general condition 3).

(c) Water: The maintenance of existing flood control facilities may affect some characteristics of water, such as water clarity, chemical content, dissolved gas concentrations, pH, and temperature. These activities may change the chemical and physical characteristics of the waterbody by introducing suspended or dissolved chemical compounds or sediments into the water. Changes in water quality can affect the species and quantities of organisms inhabiting the aquatic area. Water quality certification is required for activities authorized by this NWP that result in discharges of dredged or fill material into waters of the United States, which will ensure that the work does not violate applicable water quality standards. Permittees may be required to implement water quality management measures to ensure that the authorized work does not result in more than minimal degradation of water quality. The district engineer may require the establishment and maintenance of riparian areas next to open waters, such as streams. Riparian areas help improve or maintain water quality, by removing nutrients, moderating water temperature changes, and trapping sediments.

(d) Current patterns and water circulation: Activities authorized by this NWP may adversely affect the movement of water in the aquatic environment. All activities authorized by this NWP require pre-construction notification to the district engineer, which will help ensure that adverse effects to current patterns and water circulation are minimal. General condition 9 requires the authorized activity to be designed to withstand expected high flows and to maintain the course, condition, capacity, and location of open waters to the maximum extent practicable. General condition 10 requires activities to comply with applicable FEMA-approved state or local floodplain management requirements, which will reduce adverse effects to surface water flows.

(e) Normal water level fluctuations: The activities authorized by this NWP will result in negligible adversely effects on normal patterns of water level fluctuations due to tides and flooding. To ensure that the NWP does not authorize activities that adversely affect normal flooding patterns, general condition 10 requires NWP activities to comply with applicable FEMA-approved state or local floodplain management requirements. General condition 9 requires the permittee to maintain the pre-construction course, condition, capacity, and location of open waters, to the maximum extent practicable.

(f) Salinity gradients: The activities authorized by this NWP are unlikely to adversely affect salinity gradients, since the NWP authorizes only maintenance activities.

(g) Threatened and endangered species: The Corps believes that the procedures currently in place result in proper coordination under Section 7 of the Endangered Species Act (ESA) and ensure that activities authorized by this NWP will not jeopardize the continued existence or any listed threatened and endangered species or result in the destruction or adverse modification of critical habitat. The Corps also believes that current local procedures in Corps districts are effective in ensuring compliance with ESA.

Under general condition 17, no activity is authorized under any NWP which "may affect" a listed species or critical habitat, unless Section 7 consultation addressing the effects of the proposed activity has been completed.

Each activity authorized by an NWP is subject to general condition 17, which states that "[n]o activity is authorized under any NWP which is likely to jeopardize the continued existence of a threatened or endangered species or a species proposed for such designation, as identified under the Federal Endangered Species Act (ESA), or which will destroy or adversely modify the critical habitat of such species." In addition, general condition 17 explicitly states that the NWP does not authorize the taking of threatened or endangered species, which will ensure that permittees do not mistake the NWP authorization as a Federal authorization to take threatened or endangered species. General condition 17 also requires non-federal permittees to notify the district engineer if any listed species or designated critical habitat might be affected or is in the vicinity of the project, or if the project is located in designated critical habitat. This general condition also states that, in such cases, non-federal permittees shall not begin work on the activity until notified by the district engineer that the requirements of the ESA have been satisfied and that the activity is authorized.

Under the current Corps regulations (33 CFR 325.2(b)(5)), the district engineer must review all permit applications for potential impacts on threatened and endangered species or critical habitat. For the NWP program, this review occurs when the district engineer evaluates the pre-construction notification or request for verification. Based on the evaluation of all available information, the district engineer will initiate consultation with the U.S. Fish and Wildlife Service (USFWS) or National Marine Fisheries Service (NMFS), as appropriate, if he or she determines that the regulated activity may affect any threatened and endangered species or critical habitat. Consultation may occur during the NWP authorization process or the district engineer may exercise discretionary authority to require an individual permit for the proposed activity and initiate consultation through the individual permit process. If ESA consultation is conducted during the NWP authorization process without the district engineer exercising discretionary authority, then the applicant will be notified that he or she cannot proceed with the proposed activity until ESA consultation is complete. If the district engineer determines that the activity will have no effect on any threatened and endangered species or critical habitat, then the district engineer will notify the applicant that he or she may proceed under the NWP authorization.

Corps districts have, in most cases, established informal or formal procedures with local offices of the USFWS and NMFS, through which the agencies share information regarding

threatened and endangered species and their critical habitat. This information helps district engineers determine if a proposed activity may affect endangered species or their critical habitat and, if necessary, initiate consultation. Corps districts may utilize maps or databases that identify locations of populations of threatened and endangered species and their critical habitat. Where necessary, regional conditions are added to NWPs to require notification for activities that occur in known locations of threatened and endangered species or critical habitat. For activities that require agency coordination during the pre-construction notification process, the USFWS and NMFS will review the proposed work for potential impacts to threatened and endangered species and their critical habitat. Any information provided by local maps and databases and any comments received during the pre-construction notification review process will be used by the district engineer to make a "no effect" or "may affect" decision.

Based on the safeguards discussed above, especially general condition 17 and the NWP regulations at 33 CFR 330.5(f), the Corps has determined that the activities authorized by this NWP will not jeopardize the continued existence of any listed threatened or endangered species or result in the destruction or adverse modification of designated critical habitat. Although the Corps continues to believe that these procedures ensure compliance with ESA, the Corps has taken some steps to provide further assurance. Corps district offices have met with local representatives of the USFWS and NMFS to establish or modify existing procedures, where necessary, to ensure that the Corps has the latest information regarding the existence and location of any threatened or endangered species or their critical habitat. Corps districts can also establish, through local procedures or other means, additional safeguards that ensure compliance with ESA. Through formal consultation under Section 7 of the Endangered Species Act, or through other coordination with the USFWS and/or the NMFS, as appropriate, the Corps will establish procedures to ensure that the NWP will not jeopardize any threatened and endangered species or result in the destruction or adverse modification of designated critical habitat. Such procedures may result in the development of regional conditions added to the NWP by the division engineer, or in special conditions to be added to an NWP authorization by the district engineer.

(h) Fish, crustaceans, molluscs, and other aquatic organisms in the food web. All activities authorized by this NWP, including discharges into open waters, require notification to the district engineer, which will allow review of each activity in open waters to ensure that adverse effects to fish and other aquatic organisms in the food web are minimal. Fish and other motile animals will avoid the project site during construction. Sessile or slow-moving animals in the path of discharges, equipment, and building materials will be destroyed. Some aquatic animals may be smothered by the placement of fill material. Motile animals will return to those areas that are temporarily impacted by the work and restored or allowed to revert back to pre-construction conditions. Aquatic animals will not return to sites of permanent fills. Benthic and sessile animals are expected to recolonize sites temporarily impacted by the work, after those areas are restored. Activities that alter the riparian zone, especially floodplains, may adversely affect populations of fish and other aquatic animals, by altering stream flow, flooding patterns, and surface and groundwater hydrology. Some species of fish spawn on floodplains, which could be prevented if the activity involves

clearing or filling the floodplain.

Division and district engineers can place conditions on this NWP to prohibit discharges during important stages of the life cycles of certain aquatic organisms. Such time of year restrictions can prevent adverse effects to these aquatic organisms during reproduction and development periods. General conditions 3 and 5 address protection of spawning areas and shellfish beds, respectively. General condition 3 states that activities in spawning areas during spawning seasons must be avoided to the maximum extent practicable. In addition, general condition 3 also prohibits activities that result in the physical destruction of important spawning areas. General condition 5 prohibits activities in areas of concentrated shellfish populations. General condition 9 requires the maintenance of pre-construction course, condition, capacity, and location of open waters to the maximum extent practicable, which will help minimize adverse impacts to fish, shellfish, and other aquatic organisms in the food web.

(i) Other wildlife: Activities authorized by this NWP may result in adverse effects on other wildlife associated with aquatic ecosystems, such as resident and transient mammals, birds, reptiles, and amphibians, through the destruction of aquatic habitat, including breeding and nesting areas, escape cover, travel corridors, and preferred food sources. This NWP does not authorize activities that jeopardize the continued existence of Federally-listed endangered and threatened species or result in the destruction or adverse modification of critical habitat. Compensatory mitigation, including the establishment and maintenance of riparian areas next to open waters, may be required for activities authorized by this NWP, which will help offset losses of aquatic habitat for wildlife. General condition 4 states that activities in breeding areas for migratory birds must be avoided to the maximum extent practicable.

(j) Special aquatic sites: The potential impacts to specific special aquatic sites are discussed below:

(1) Sanctuaries and refuges: The activities authorized by this NWP will have minimal adverse effects on waters of the United States within sanctuaries or refuges designated by Federal or state laws or local ordinances. General condition 19 prohibits the use of this NWP to discharge dredged or fill material in NOAA-designated marine sanctuaries, National Estuarine Research Reserves, coral reefs, state natural heritage sites, and outstanding national resource waters. District engineers will exercise discretionary authority and require individual permits for specific projects in waters of the United States in sanctuaries and refuges if those activities will result in more than minimal adverse effects on the aquatic environment.

(2) Wetlands: The activities authorized by this NWP will have minimal adverse effects on wetlands. District engineers will review pre-construction notifications for all activities to ensure that the adverse effects on the aquatic environment are minimal. Division engineers can regionally condition this NWP to restrict or prohibit its use in certain high value wetlands. See paragraph (e) of section 5.1 for a more detailed discussion of impacts to wetlands.

(3) Mud flats: The activities authorized by this NWP will have minimal adverse effects on mud flats. District engineers will review pre-construction notifications to ensure that the adverse effects on the aquatic environment are minimal. Division engineers can regionally condition this NWP to restrict or prohibit its use in mud flats within specific waterbodies.

(4) Vegetated shallows: The activities authorized by this NWP will have minimal adverse effects on vegetated shallows. District engineers will review pre-construction notifications to ensure that the adverse effects on the aquatic environment are minimal. Division engineers can regionally condition this NWP to restrict or prohibit its use in vegetated shallows within specific waterbodies.

(5) Coral reefs: The activities authorized by this NWP will have minimal adverse effects on coral reefs. District engineers will review pre-construction notifications to ensure that the adverse effects on the aquatic environment are minimal. Division engineers can regionally condition this NWP to restrict or prohibit its use in coral reefs.

(6) Riffle and pool complexes: The activities authorized by this NWP will have minimal adverse effects on riffle and pool complexes. District engineers will review pre-construction notifications to ensure that the adverse effects on the aquatic environment are minimal. Division engineers can regionally condition this NWP to restrict or prohibit its use in riffle and pool complexes within specific waterbodies.

(k) Municipal and private water supplies: See paragraph (n) of section 5.1 for a discussion of potential impacts to water supplies.

(l) Recreational and commercial fisheries, including essential fish habitat: The activities authorized by this NWP may adversely affect waters of the United States that act as habitat for populations of economically important fish and shellfish species. Division and district engineers can condition this NWP to prohibit discharges during important life cycle stages, such as spawning or development periods, of economically valuable fish and shellfish. This NWP requires pre-construction notification to the district engineer, which will allow review of each activity in open waters to ensure that adverse effects to economically important fish and shellfish are minimal. Compliance with general conditions 3 and 5 will ensure that the authorized work does not adversely affect important spawning areas or concentrated shellfish populations. As discussed in paragraph (g) of section 5.1, there are procedures to help ensure that impacts to essential fish habitat are minimal, individually or cumulatively. For example, division and district engineers can impose regional and special conditions to ensure that activities authorized by this NWP will result in minimal adverse effects on essential fish habitat.

(m) Water-related recreation: See paragraph (m) of section 5.1 above.

(n) Aesthetics: See paragraph (c) of section 5.1 above.

(o) Parks, national and historical monuments, national seashores, wilderness areas, research sites, and similar areas: General condition 19 prohibits the use of this NWP to authorize discharges of dredged or fill material in designated critical resource waters and adjacent wetlands, which may be located in parks, national and historical monuments, national seashores, wilderness areas, and research sites. This NWP can be used to authorize activities in parks, national and historical monuments, national seashores, wilderness areas, and research sites if the manager or caretaker wants to conduct work in waters of the United States and those activities result in minimal adverse effects on the aquatic environment. Division engineers can regionally condition the NWP to prohibit its use in designated areas, such as national wildlife refuges or wilderness areas.

7.0 Determinations

7.1 Finding of No Significant Impact

Based on the information in this document, the Corps has determined that the issuance of this NWP will not have a significant impact on the quality of the human environment. Therefore, the preparation of an Environmental Impact Statement is not required.

7.2 Public Interest Determination

In accordance with the requirements of 33 CFR 320.4, the Corps has determined, based on the information in this document, that the issuance of this NWP is not contrary to the public interest.

7.3 Section 404(b)(1) Guidelines Compliance

This NWP has been evaluated for compliance with the 404(b)(1) Guidelines, including Subparts C through G. Based on the information in this document, the Corps has determined that the discharges authorized by this NWP comply with the 404(b)(1) Guidelines, with the inclusion of appropriate and practicable conditions, including mitigation, necessary to minimize adverse effects on affected aquatic ecosystems. The activities authorized by this NWP will not result in significant degradation of the aquatic environment.

7.4 Section 176(c) of the Clean Air Act General Conformity Rule Review

This NWP has been analyzed for conformity applicability pursuant to regulations implementing Section 176(c) of the Clean Air Act. It has been determined that the activities authorized by this permit will not exceed de minimis levels of direct emissions of a criteria pollutant or its precursors and are exempted by 40 CFR 93.153. Any later indirect emissions are generally not within the Corps continuing program responsibility and generally cannot be

practicably controlled by the Corps. For these reasons, a conformity determination is not required for this NWP.

FOR THE COMMANDER

Dated: MAR - 1 2007

DON T. RILEY
Major General, U.S. Army
Director of Civil Works

8.0 Literature Cited

Allan, J.D. 1995. Stream Ecology: Structure and Function of Running Waters. Chapman and Hall (London). 388 pp.

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of Wetlands and Deepwater Habitats of the United States. U.S. Department of the Interior, Fish and Wildlife Service. FWS/OBS-79-31. 131 pp.

Dahl, T.E. 2006. Status and trends of wetlands in the conterminous United States 1998 to 2004. U.S. Department of the Interior, Fish and Wildlife Service, Washington, DC. 112 pp.

Hall, J.V., W.E. Frayer, and B.O. Wilen. 1994. Status of Alaska Wetlands. U.S. Department of the Interior, Fish and Wildlife Service, Washington, DC. 33 pp.

Hansen, W.F. 2001. Identifying stream types and management implications. Forest Ecology and Management 143:39-46.

King, D.M., Wainger, L.A., C.C. Bartoldus, and J.S. Wakely. 2000. Expanding wetland assessment procedures: Linking indices of wetland function with services and values. ERDC/EL TR-00-17, U.S. Army Engineer Research and Development Center, Vickburg, MS.

Leopold, L.B., M.G. Wolman, and J.P. Miller. 1964. Fluvial Processes in Geomorphology. Dover Publications, Inc. (New York). 522 pp.

Leopold, L.B. 1994. A View of the River. Harvard University Press (Cambridge). 298 pp.

Meyer, J.L. and J.B. Wallace. 2001. Lost linkages and lotic ecology: rediscovering small streams. In Ecology: Achievement and Challenge. Ed. by M.C. Press, N.J. Huntly, and S. Levin. Blackwell Science (Cornwall, Great Britain). pp. 295-317.

National Research Council (NRC). 1992. Restoration of Aquatic Ecosystems. National Academy Press (Washington, DC). 552 pp.

Natural Resources Conservation Service (NRCS). 2003. 2003 National Resources Inventory Wetlands Tables. http://www.nrcs.usda.gov/technical/land/nri03/table1.html (accessed 5/20/2005)

Peterson, C.H. and J. Lubchenco. 1997. Marine ecosystem services, in Nature's Services: Societal Dependence on Natural Ecosystems. Edited by G.C. Daily. Island Press (Washington, DC). pp. 177-194.

Postel, S. and S. Carpenter. 1997. Freshwater ecosystem services, in Nature's Services: Societal Dependence on Natural Ecosystems. Edited by G.C. Daily. Island Press

(Washington, DC). pp. 195-214.

Tiner, R.W. 2003. Geographically isolated wetlands in the United States. Wetlands 23:494-516.

Tiner, R. 1997. NWI maps: Basic information on the Nation's wetlands. Bioscience 47:269.