

15 Oct 80

APPENDIX A

BIBLIOGRAPHY

1. Ables, J. H., Jr., and Boyd, M. C. 1970 (Jun). "Spillway and Outlet Works, Rowlesburg Dam, Cheat River, West Virginia; Hydraulic Model Investigation," Technical Report H-70-7, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
2. Ables, J. H., Jr., and Pickering, G. A. 1973 (Feb). "Outlet Works, Warm Springs Dam, Dry Creek, Russian River Basin, Sonoma County, California; Hydraulic Model Investigation," Technical Report H-73-3, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
3. American Society of Mechanical Engineers. 1958. "American Standard Letter Symbols for Hydraulics," ASA Y10-1958, New York.
4. Anderson, A. G. 1947 (Aug). "Fluid Flow Diversion; A Summary and Bibliography of Literature," Project Report No. 1, St. Anthony Falls Hydraulic Laboratory, University of Minnesota, Minneapolis, Minn.
5. Austin, G. H., Gray, D. A., and Swain, D. G. 1969 (Nov). "Multi-level Outlet Works at Four Existing Reservoirs," Journal, Hydraulics Division, American Society of Civil Engineers, Vol 95, No. HY6, Proc Paper 6877, pp 1793-1808.
6. Ball, J. W. 1959 (Oct). "Hydraulic Characteristics of Gate Slots," Journal, Hydraulics Division, American Society of Civil Engineers, Vol 85, No. HY10, pp 81-114.
7. _____. 1963 (Sep). "Construction Finishes and High-Velocity Flow," Journal, Construction Division, American Society of Civil Engineers, Vol 89, No. C02, Paper 3643, pp 91-110.
8. _____. 1970 (Aug). "Cavitation Design Criteria," Control of Flow in Closed Conduits, Proceedings of the Institute, held at Colorado State University, Ft. Collins, Colo., 9-14 Aug 1970, pp 379-416.
9. Blaisdell, F. W. 1959 (Apr). "The SAF Stilling Basin," Agricultural Handbook No. 156, Agricultural Research Service and St. Anthony Falls Laboratory, Minneapolis, Minn.

EM 1110-2-1602
15 Oct 80

10. Bohan, J. P. 1970 (Jan). "Erosion and Riprap Requirements at Culvert Storm-Drain Outlets; Hydraulic Laboratory Investigation," Research Report H-70-2, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
11. _____. 1970 (Feb). "Water Temperature Control Weir for Meramec Park Dam, Meramec River, Missouri; Hydraulic Model Investigation," Technical Report H-70-1, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
12. Bohan, J. P., and Grace, J. L., Jr. 1973 (Mar). "Selective Withdrawal from Man-Made Lakes; Hydraulic Laboratory Investigation," Technical Report H-73-4, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
13. Bradley, J. N., and Thompson, L. R. 1951 (Mar). "Friction Factors for Large Conduits Flowing Full," Engineering Monograph No. 7 (Revised 1965), U. S. Bureau of Reclamation, Denver, Colo.
14. Bucci, D. R. 1965 (Jul). "Outlet Works, DeGray Dam, Caddo River, Arkansas; Hydraulic Model Investigation," Technical Report No. 2-684, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
15. Bucci, D. R., and Murphy, T. E. 1965 (Mar). "Spillway and Sluices, Red Rock Dam, Des Moines River, Iowa; Hydraulic Model Investigation," Technical Report No. 2-673, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
16. Campbell, F. B., and Pickett, E. B. 1966 (Nov). "Prototype Performance and Model-Prototype Relationship," Miscellaneous Paper No. 2-857, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
17. Chow, V. T. 1959. Open-Channel Hydraulics, McGraw-Hill, New York.
18. Colebrook, C. F. 1939. "Turbulent Flow in Pipes with Particular Reference to the Transition Region Between Smooth and Rough Pipe Laws," Journal, Institution of Civil Engineer, London, Vol 11, pp 133-156.
19. Cox, R. G. 1973 (Jan). "Resistance Losses in Noncircular Flood Control Conduits and Sluices," Miscellaneous Paper H-73-1, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.

15 Oct 80

20. Cox, R. G., and Chu, Y.-H. 1969 (Sep). "Characteristic Pressure Distribution in Outlet Works Intakes," Miscellaneous Paper H-69-8, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
21. Crandall, S. H., Vigander, S., and March, P. A. 1975 (Nov). "Destructive Vibration of Trashracks Due to Fluid-Structure Interaction," Journal of Engineering for Industry, American Society of Mechanical Engineers, Paper No. 75-DET-63, p 1359.
22. Creager, W. P., and Justin, J. D. 1950. Hydroelectric Handbook, 2d ed., Wiley, New York.
23. Dann, H. E., Hartwig, W. P., and Hunter, J. R. 1964 (Oct). "Unlined Tunnels of the Snowy Mountains Hydro-Electric Authority, Australia," Journal, Power Division, American Society of Civil Engineers, Vol 90, No. P03, Paper 4071, pp 47-79.
24. Davis, C. V., and Sorensen, K. E. 1969. Handbook of Applied Hydraulics, 3d ed., McGraw-Hill, New York.
25. Dortch, M. S. 1975 (Aug). "Outlet Works for Taylorsville Lake, Salt River, Kentucky," Technical Report H-75-12, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
26. Dortch, M. S., et al. 1976 (Dec). "Dickey-Lincoln School Lakes Hydrothermal Model Study; Hydraulic Laboratory Investigation," Technical Report H-76-22, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss..
27. Drummond, G. R., and Robey, D. L. 1972 (Apr). "Heat Budget Analysis and Development of Design Criteria for Selective Withdrawal Outlets, Taylorsville Lake, Kentucky," Special Report No. 2, U. S. Army Engineer Division, Ohio River, Cincinnati, Ohio.
28. _____. 1972 (Nov). "Heat Budget Analysis and Development of Design Criteria for Selective Withdrawal Outlets, Stonewall Jackson Lake, West Virginia," Special Report No. 4, U. S. Army Engineer Division, Ohio River, Cincinnati, Ohio.
29. Elder, R. A., and Dougherty, G. C. 1950 (Nov). "Hydraulic Characteristics of Howell-Bunger Valves and Their Associated Structures," Tennessee Valley Authority, Norris, Tenn.

15 Oct 80

30. Fagerburg, T. L. 1977 (May). "Pressure Tests in Flood-Control Conduit, Melvern Dam, Kansas," Miscellaneous Paper H-77-5, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
31. Fletcher, B. P. 1969 (15 Jan). "Howell-Bunger Valves, Summersville Dam," Memorandum Report, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
32. _____. 1971 (Oct). "Spillway for Clarence Cannon Reservoir, Salt River, Missouri; Hydraulic Model Investigation," Technical Report H-71-7, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
33. Fletcher, B. P., and Grace, J. L., Jr. 1972 (May). "Practical Guidance for Estimating and Controlling Erosion at Culvert Outlets," Miscellaneous Paper H-72-5, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
34. _____. 1972 (Jun). "Evaluation of Flared Outlet Transitions; Hydraulic Model Investigation," Research Report H-72-1, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
35. Fletcher, B. P., et al. "Dynamic Loading on Stilling Basin Sidewalls" (in preparation), U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
36. Fontane, D. G., et al. 1977 (Apr). "Marysville Lake Hydrothermal Study; 900-MW Project; Hydraulic and Mathematical Investigation," Technical Report H-77-5, Report 1, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
37. Fortey, J. W., and Tiry, R. F. 1972 (May). "Flow-Induced Vibrations of Trashrack Bars," Civil Engineering, Vol 42, No. 5, pp 44-45.
38. Franke, P. G. 1969 (Feb). "Some Roughness Values of Water Pipelines," L'Energia Elettrica, Vol 46, No. 2, pp 78-80.
39. Freeman, J. R., ed. 1929. Hydraulic Laboratory Practice, American Society of Mechanical Engineers, New York.
40. George, J. F., and Pickering, G. A. 1977 (Apr). "Powerhouse Intake Gate Catapult Study, Big Bend Dam, South Dakota, and Stockton, Harry S. Truman, and Clarence Cannon Dams, Missouri; Hydraulic

15 Oct 80

- Model Investigation," Technical Report H-77-8, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
41. Gibson, A. H. 1914. "The Conversion of Kinetic to Potential Energy in the Flow of Water Through Passages Having Divergent Boundaries," Engineering, Vol 93, p 205.
 42. Gloriod, T. L., and Bohan, J. P. 1973 (Sep). "Selective Withdrawal from Beech Fork Lake, Beech Fork River, West Virginia; Hydraulic Model Investigation," Technical Report H-73-14, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
 43. Gordon, J. L. 1970 (Apr). "Vortices at Intakes," Water Power, pp 138-139.
 44. Grace, J. L., Jr. 1966 (Feb). "Resistance Coefficients for Structural Plate Corrugated Pipe; Hydraulic Model Investigation," Technical Report No. 2-715, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
 45. _____. 1972 (Jan). "Outlet Works for Branched Oak and Cottonwood Springs Dams, Oak Creek, Nebraska, and Cottonwood Springs Creek, South Dakota; Hydraulic Model Investigation," Technical Report H-72-1, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
 46. Grace, J. L., Jr., and Pickering, G. A. 1971 (Apr). "Evaluation of Three Energy Dissipators for Storm-Drain Outlets; Hydraulic Laboratory Investigation," Research Report H-71-1, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
 47. Griffiths, P. T. A., and Brett, T. M. 1974 (Dec). "A Scouring Rock Trap in Lemonthyme Power Tunnel," Fifth Australasian Conference on Hydraulics and Fluid Mechanics.
 48. Hart, E. D., and Tool, A. R. 1976 (Oct). "Sluice Pressures, Gate Vibrations, and Stilling Basin Wall Pressures, Libby Dam, Kootenai River, Montana," Technical Report H-76-17, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
 49. Hoffman, A. 1929. "Losses in 90-Degree Pipe Bends of Constant Circular Cross Section," Transactions, Hydraulic Institute of the Munich Technical University, Bulletin 3; Translation published by American Society of Mechanical Engineers, New York, 1935.

50. Hu, W. W. 1973 (Nov). "Hydraulic Elements for the USBR Standard Horseshoe Tunnel," Journal, Transportation Engineering, American Society of Civil Engineers, Vol 99, No. TE4, pp 973-984.
51. Huang, T. T. 1964. Energy Losses in Pipe Expansions, M.S. Thesis, University of Iowa, Iowa City, Iowa.
52. Huval, C. J. 1969 (Jul). "Hydraulic Design of Unlined Rock Tunnels," Journal, Hydraulics Division, American Society of Civil Engineers, Vol 95, No. HY4, Proc Paper 6679, pp 1235-1246.
53. Johnson, P. L. 1971 (Sep). "Hydraulic Model Studies of the Reservoir Inlet-Outlet Structure for Horse Mesa Pump-Storage Unit, Salt River Project, Arizona," Report REC-ERC-71-34, Bureau of Reclamation, Denver, Colo.
54. Jones, H. W. 1977 (Jun). "Manual for a Conversationally Oriented Real-Time Program-Generating System (CORPS)," Unnumbered Report, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
55. Kalinske, A. A., and Robertson, J. M. 1943. "Entrainment of Air in Flowing Water-Closed Conduit Flow," Transactions, American Society of Civil Engineers, Vol 108, pp 1435-1447.
56. King, H. W., and Brater, E. F. 1963. Handbook of Hydraulics for the Solution of Hydrostatic and Fluid-Flow Problems, 5th ed., McGraw-Hill, New York.
57. Knapp, R. T., Daily, J. W., and Hammitt, F. G. 1970. Cavitation, McGraw-Hill, New York.
58. Lancaster, D. M., and Dexter, R. B. 1959 (Nov). "Hydraulic Characteristics of Hollow-Jet Valves," Journal, Hydraulics Division, American Society of Civil Engineers, Vol 85, No. HY11, p 53.
59. Levin, L. 1973 (Jan). "Study of Peculiar Head Losses in Conical Convergences," Translation No. 73-3, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
60. Locher, F. A. 1969 (Feb). "Some Aspects of Flow-Induced Vibrations of Hydraulic Control Gates," Contract Report H-69-1, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.

15 Oct 80

61. Loftis, B., and Fontane, D. C. 1976 (Apr). "Falls Lake Water-Quality Study; Hydraulic Laboratory Investigation," Miscellaneous Paper H-76-6, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
62. Loftis, B., Saunders, P. E., and Grace, J. L., Jr. 1976 (Feb). "B. Everett Jordan Lake Water-Quality Study," Technical Report H-76-3, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
63. Louis, D. S., and Allen, A. E. 1971 (Jan). "Trash Rack Studies - Seneca Pumped-Storage Plant," Meeting Preprint 1284, National Water Resources Engineering Meeting, American Society of Civil Engineers, Phoenix, Ariz., 11-15 Jan 1971.
64. Madison, R. D., and Parker, J. R. 1936. "Pressure Losses in Rectangular Elbows," Transactions, American Society of Mechanical Engineers, Vol 58, pp 167-176.
65. Marchetti, M., and Nosedá, G. 1960 (Apr). "Head Losses in Symmetrical Penstock Bifurcations with a Constant Diameter," L'Energia Elettrica, Vol XXXII, No. 4; also published as Translation No. 63-2, Aug 1963, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
66. Mattimoe, J. J., Tinney, E. R., and Wolcott, W. W. 1965 (Oct). "Rock Trap Experience in Unlined Tunnels," Journal, Power Division, American Society of Civil Engineers, Vol 90, No. P03, Paper 4067, pp 29-45.
67. Maynard, S. T., Loftis, B., and Fontane, D. G. 1978 (Jan). "Temperature Analysis and Selective-Withdrawal Design Study, Tallahala Creek Lake, Mississippi; Mathematical Model Investigation," Technical Report H-78-1, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
68. Melsheimer, E. S. 1969 (Dec). "Outlet Works for Beltzville Dam, Pohopoco Creek, Pennsylvania; Hydraulic Model Investigation," Technical Report H-69-18, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
69. _____. 1973 (Jun). "Outlet Works Stilling Basins, Clinton and Fort Scott Dams, Wakarusa and Marmaton Rivers, Kansas; Hydraulic Model Investigation," Technical Report H-73-6, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.

15 Oct 80

70. Melsheimer, E. S., and Oswalt, N. R. 1969 (Oct). "Outlet Works for New Hope Reservoir, Cape Fear River Basin, North Carolina; Hydraulic Model Investigation," Technical Report H-69-14, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
71. Mercer, A. C. 1970. "Vane Failures of Hollow-Cone Valves," Proceedings, IAHR, Stockholm, Sweden.
72. Miller, D. S. 1971. "Internal Flow; A Guide to Losses in Pipes and Duct Systems," British Hydromechanics Research Association, England.
73. Moody, L. F. 1944. "Friction Factors for Pipe Flow," Transactions, American Society of Mechanical Engineers, Vol 66, pp 671-684.
74. Moore, M. O. 1968 (Oct). "Incrustation in Water Pipelines," Journal, Pipeline Division, American Society of Civil Engineers, Vol 94, No. P11, Paper 6161, pp 37-47.
75. Munsey, T. E., and Neilson, F. M. 1971 (Apr). "Prototype Observations of Snettisham Project Diversion Tunnel, Long Lake, Alaska," Miscellaneous Paper H-71-7, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
76. Murphy, T. E. 1959 (Jun). "Entrances to Conduits of Rectangular Cross Section; Investigation of Entrances Flared in Three Directions and in One Direction," Technical Memorandum No. 2-428, Report 2, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
77. _____. 1971 (Mar). "Control of Scour at Hydraulic Structures," Miscellaneous Paper H-71-5, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
78. Nag, P. K. 1970 (Aug). "Free Discharge Regulating Valves; Their Characteristics, Uses, and Limitations," Control of Flow in Closed Conduits, Proceedings of the Institute, held at Colorado State University, Ft. Collins, Colo., 9-14 Aug 1970, pp 451-470.
79. Naudascher, E., Kobus, H. E., and Rao, Ragam Pondu R. 1964 (May). "Hydrodynamics Analysis for High-Head Leaf Gates," Journal, Hydraulics Division, American Society of Civil Engineers, Vol 99, No. HY3, Proc Paper 3904, pp 155-192.

15 Oct 80

80. Neilson, F. M. 1971 (Sep). "Howell-Bunger Valve Vibration, Summersville Dam, Prototype Tests," Technical Report H-71-6, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
81. Neilson, F. M., and Carstens, M. R. 1967 (Jul). "Hydraulic Model Studies of Pahlau Dam Sluiceways," Industrial Research Project A-962, Georgia Institute of Technology, Atlanta, Ga.
82. Nikuradse, J. 1932. "Gesetzmässigkeiten der Turbulenten Stromung in Glatten Rohren" (in German), VDI Forschungsheft 356.
83. Office, Chief of Engineers. 1970. "Alternate Conduit Gate Control Structure," ETL 1110-2-84, 13 Mar 1970, Washington, D. C.
84. _____. 1971. "Additional Guidance for Riprap Channel Protection" (Change 1), ETL 1110-2-120, 14 May 1971, Washington, D. C.
85. _____. 1974. "Stilling Basins for Reservoir Outlet Works," ETL 1110-2-193, 30 Aug 1974, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
86. _____. 1978. "Nitrogen Supersaturation," ETL 1110-2-239, 15 Sep 1978, Washington, D. C.
87. Ortoano, L. 1974 (Jan). "Issues in Water Resources Impact Assessments," Journal, Hydraulics Division, American Society of Civil Engineering, Vol 100, No. HYL, Proc Paper 10292, pp 173-187.
88. Oswald, N. R. 1971 (Mar). "Pomona Dam Outlet Stilling Basin Modifications," Memorandum Report, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
89. _____. 1973 (Apr). "Outlet Works Stilling Basin for Tallahala Dam, Tallahala Creek, Mississippi; Hydraulic Model Investigation," Technical Report H-73-5, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
90. Parmakian, J. 1955. Waterhammer Analysis, 1st ed., Chapter 3, Prentice-Hall, New York.
91. Petermann, F. 1929. "Loss in Oblique-Angled Pipe Branches," Transactions, Hydraulic Institute, Technical University, Munich, Bulletin 3; published by ASEM, Bulletin 3, 1935.

15 Oct 80

92. Peters, H. 1934 (Mar). "Conversion of Energy in Cross-Sectional Divergencies Under Different Conditions of Inflow" (translation), Technical Memorandum No. 737, National Advisory Committee for Aeronautics, Washington, D. C.
93. Pickett, E. B., Hart, E. D., and Neilson, F. M. 1970 (Aug). "Prototype Experiments with Large Gates and Valves," Control of Flow in Closed Conduits, Proceedings of the Institute, held at Colorado State University, Ft. Collins, Colo., 9-14 Aug 1970, pp 495-518.
94. Prandtl, L. 1932. "Zur Turbulenten Stromung in Rohren und Langs Platten" (in German), Ergebnisse der Aerodynamischen Versuchsanstalt zu Gottinhen, IV Lieferung, R. Oldenberg, Munich and Berlin, pp 18-21.
95. Reddy, Y. R., and Pickford, J. A. 1972 (Mar). "Vortices at Intakes in Conventional Sumps," Water Power, pp 108-109.
96. "Report to the Vice-President and to the President's Council on Recreation and Natural Beauty," 1 Nov 1968, Working Committee on Federal Construction, Washington, D. C.
97. Ripken, J. F. 1970 (Aug). "Fundamentals of Cavitation," Control of Flow in Closed Conduits, Proceedings of the Institute, held at Colorado State University, Ft. Collins, Colo., 9-14 Aug 1970, pp 353-378.
98. Robertson, R. A., and Ball, J. W. 1971 (Jul). "Model Study of Power Intake Gate of Mossyrock Dam," Journal, Hydraulics Division, American Society of Civil Engineers, Vol 97, No. HY7, Proc Paper 8229, pp 889-906.
99. Rouse, H. 1946. Elementary Mechanics of Fluids, Wiley, New York.
100. _____. 1946. "Use of the Low-Velocity Air Tunnel in Hydraulic Research," Proceedings, Third Hydraulics Conference, State University of Iowa.
101. _____. 1950. Engineering Hydraulics, Wiley, New York.
102. Rouse, H., Bhoota, B. V., and Hsu, En-Yun. 1951. "Design of Channel Expansions," Transactions, American Society of Civil Engineers, Vol 116.

103. Rueda-Briceno, D. 1954 (Feb). "Pressure Conditions at the Outlet of a Pipe," M.S. Thesis, University of Iowa, Iowa City, Iowa.
104. Russell, S. O., and Bell, J. W. "Sudden Enlargement Energy Dissipators for Mica Dam Outlets," Western Canada Hydraulic Laboratories, Ltd., Port Coquitlam, B. C., Canada.
105. Ruus, E. 1970 (Mar). "Head Losses in Wyes and Manifolds," Journal, Hydraulics Division, American Society of Civil Engineers, Vol 96, No. HY3, Proc Paper 7130, pp 593-608.
106. Schlichting, H. 1968. Boundary-Layer Theory, 6th ed., McGraw-Hill, New York; translated by Dr. J. Kestin, Brown University, Providence, R. I.
107. Schoder, E. W., and Dawson, F. M. 1934. Hydraulics, 2d ed., McGraw-Hill, New York.
108. Schoklitsch, A. 1937. Hydraulic Structures; A Text and Handbook, Vol II, American Society of Mechanical Engineers, New York.
109. Scott, L. R., Jr. 1970 (Dec). "Scott's Plots for Compressible Flow Through Duct System Elements," NASA Technical Brief No. 70-10487.
110. Sell, L. E. 1971 (Jan). "Hydroelectric Power Plant Trashrack Design," Journal, Power Division, American Society of Civil Engineers, Vol 97, No. P01, Paper 7819, pp 115-121.
111. Sharma, H. R. 1976 (Nov). "Air-Entrainment in High Head Gated Conduits," Journal, Hydraulics Division, American Society of Civil Engineers, Vol 102, No. HY11, Proc Paper 12523, pp 1629-1646.
112. Silberman, E., and Dahlin, W. Q. 1971 (Apr). "Further Studies of Friction Factors for Corrugated Aluminum Pipes Flowing Full," Project Report No. 121, St. Anthony Falls Hydraulic Laboratory, University of Minnesota, Minn.
113. Simmons, W. P., Jr. 1959 (Jan). "Air Model Studies of Hydraulic Downpull on Large Gates," Journal, Hydraulics Division, American Society of Civil Engineers, Vol 85, No. HY1, Paper No. 1903.
114. Singh, A. 1969 (May). "Transition from Circular to Rectangular Section," Journal, Hydraulics Division, American Society of Civil Engineers, Vol 95, No. HY3, Proc Paper 6562, pp 893-906.

EM 1110-2-1602
15 Oct 80

115. Smith, P. M. 1964 (May). "Hydraulic Downpull on Ice Harbor Powerhouse Gate," Journal, Hydraulics Division, American Society of Civil Engineers, Vol 90, No. HY3, Proc Paper 3903, pp 193-213.
116. Sprenger, H. 1969 (Mar). "Head Losses in 90° Elbows for Rectangular Pipes," Schweizerische Bauzeitung, Vol 87, No. 13, pp 223-231; also published as Translation No. 70-3, Sep 1970, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
117. Straub, L. G., and Morris, H. M. 1950. "Hydraulic Tests on Corrugated Metal Culvert Pipes," Technical Paper No. 5, Series B, St. Anthony Falls Hydraulic Laboratory, University of Minnesota, Minn.
118. Streeter, V. L. 1961. Handbook of Fluid Dynamics, McGraw-Hill, New York.
119. Syamala Rao, B., Lakshmana Rao, N. S., and Shivaswamy, M. S. 1968 (Nov). "Energy Losses at Conduit Trifurcations," Journal, Hydraulics Division, American Society of Civil Engineers, Vol 94, No. HY6, Proc Paper 6207, pp 1363-1374.
120. Thomas, C. W. 1955 (Jul). "Discharge Coefficients for Gates and Valves," Proceedings, American Society of Civil Engineers, Paper No. 746.
121. Thompson, W. T. 1965. Vibration Theory and Applications, Prentice-Hall, Englewood Cliffs, N. J.
122. U. S. Army Engineer Institute for Water Resources, CE. 1972 (Jun). "An Analysis of Environmental Statements for Corps of Engineers Water Projects," IWR Report 72-3, Ft. Belvoir, Va.
123. U. S. Army Engineer Waterways Experiment Station, CE. 1947 (Jun). "Model Studies of Conduits and Stilling Basin, Bull Shoals Dam, White River, Arkansas," Technical Memorandum No. 2-234, Vicksburg, Miss.
124. _____. 1952 (Jun). "Outlet Works Stilling Basin for Texarkana Dam, Sulphur River, Texas; Hydraulic Model Investigation," Technical Memorandum No. 2-346, Vicksburg, Miss.
125. _____. 1953 (Apr). "Pressure and Air Demand Tests in

- Flood-Control Conduit, Denison Dam, Red River, Oklahoma and Texas," Miscellaneous Paper No. 2-31, Vicksburg, Miss.
126. U. S. Army Engineer Waterways Experiment Station, CE. 1954 (Dec). "Flood Control Outlet Structures for Tuttle Creek Dam, Big Blue River, Kansas; Hydraulic Model Investigation," Technical Memorandum No. 2-396, Vicksburg, Miss.
127. _____. 1956 (Mar). "Cavitation at Baffle Piers; CWI Item No. 806, Cavitation Investigation (Hydraulics)," Miscellaneous Paper No. 2-154, Vicksburg, Miss.
128. _____. 1956 (Mar). "Entrances to Conduits of Rectangular Cross Section; Investigation of Entrance Flared in Four Directions, CWI Item No. 802, Conduit Intake Model Tests," Technical Memorandum No. 2-428, Report No. 1, Vicksburg, Miss.
129. _____. 1956 (Mar). "The Effect of Artificial Stimulation of the Turbulent Boundary Layer in Rectangular Conduits," Miscellaneous Paper No. 2-160, Vicksburg, Miss.
130. _____. 1959 (Jun). "Outlet Works for Abiquiu Dam, Rio Chama, New Mexico; Hydraulic Model Investigation," Technical Report No. 2-513, Vicksburg, Miss.
131. _____. 1959 (Jun). "Prototype Tests in Flood-Control Conduit, Enid Dam, Yocona River, Mississippi," Technical Report No. 2-510, Vicksburg, Miss.
132. _____. 1960 (Sep). "Outlet Works for Oahe Dam, Missouri River, South Dakota; Hydraulic Model Investigation," Technical Report No. 2-557, Vicksburg, Miss.
133. _____. 1963 (Mar). "Impact-Type Energy Dissipator for Storm-Drainage Outfalls, Stilling Well Design; Hydraulic Model Investigation," Technical Report No. 2-620, Vicksburg, Miss.
134. _____. "Tuttle Creek Prototype Tests" (unpublished), Vicksburg, Miss.
135. U. S. Bureau of Reclamation. 1938. "Model Studies of Penstocks and Outlet Works; Boulder Canyon Project, Final Report, Part VI--Hydraulic Investigations," Bulletin 2, Denver, Colo.
136. _____. 1958 (Jul). "Importance of Smooth Surfaces on Flow

15 Oct 80

- Boundaries Downstream from Outlet Works Control Gates," Hydraulic Laboratory Report No. HYD-448, Denver, Colo.
137. U. S. Bureau of Reclamation. 1958 (Sep). "Hydraulic Design of Stilling Basin and Energy Dissipators," Engineering Monograph No. 25 (Revised Jul 1963), Denver, Colo.
138. _____. 1963 (Jan). "Hydraulic Model Study of the Diversion Tunnels for Oroville Dam, California," Department of Water Resources, Hydraulic Branch Report No. HYD-502, Denver, Colo.
139. _____. 1969 (Jun). "Progress Report No. XIII, Research Study on Stilling Basin Energy Dissipators and Associated Appurtenances - Section 14, Modification of Section 6 (Stilling Basin for Open Channel Outlets - Basin VI)," Report No. HYD-572, Denver, Colo.
140. _____. 1971 (Feb). "Hydraulic Model Studies of Folsom Spillway-Outlet Junction," REC-ERC-71-12, Denver, Colo.
141. Vogel, G. 1926 and 1928. "Investigation of Loss in Right-Angled Pipe Branches," Hochschule-Munchen No. 1, 1926, and No. 2, 1928, Hydraulic Institute, Technical University.
142. Von Karman, T. 1930. "Mechanische Aehnlichkeit und Turbulenz" (in German), Proceedings, Third International Congress for Applied Mechanics, Stockholm, Vol 1, pp 85-93; A graph labels the smooth pipe curve "Von Karman-Prandtl, 1921."
143. Wang, T. S. 1972 (Jun). Turbulent Flow in a Pipe Inlet Region, Ph. D. Dissertation, Colorado State University, Ft. Collins, Colo.
144. Wasielewski, R. 1932. "Loss in Smooth Pipe Bends with Bend Angles Less Than 90°" (in German), Mitteilungen des Hydraulischen Instituts der Technischen Hochschulen Muenchen, Munich, Heft 5, pp 53-67.
145. Williamson, J. V., and Rhone, T. J. 1973 (May). "Dividing Flow in Branches and Wyes," Journal, Hydraulics Division, American Society of Civil Engineers, Vol 99, No. HY5, Proc Paper 9729, pp 747-769.
146. Yarnell, D. L. 1937 (Oct). "Flow of Water Through 6-Inch Pipe Bends," Technical Bulletin No. 577, U. S. Department of Agriculture, Washington, D. C.
147. Zanker, K. J., and Brock, T. E. 1967 (Jul). "A Review of the Literature on Fluid Flow Through Closed Conduit Bends," TH 901, British Hydromechanics Research Association.