

APPENDIX A REFERENCES

A-1. Required References. These are the documents cited in Appendix B.

a. Code of Federal Regulations.

40 CFR 258

Criteria for Municipal Solid Waste Landfills.

40 CFR 261

Identification and Listing of Hazardous Waste.

40 CFR 262

Standards Applicable to Generators of Hazardous Waste.

40 CFR 264

Standards for Owners and Operators of Hazardous Waste Treatment, Storage, and Disposal Facilities.

40 CFR 265

Interim Status Standards for Owners and Operators of Hazardous Waste Treatment, Storage, and Disposal Facilities.

b. U.S. Army Corps of Engineers.

ER 1110-1-263

Chemical Data Quality Management for Hazardous, Toxic, Radioactive Waste Remedial Activities.

ER 385-1-92

Safety and Occupational Health Requirements for Hazardous, Toxic, and Radioactive Waste (HTRW) Activities.

EM 1110-1-1904

Settlement Analysis.

EM 1110-1-4000

Monitor Well Design, Installation, and Documentation at Hazardous, Toxic, and Radioactive Waste Sites.

ETL 1110-1-162
30 Sep 01

EM 1110-1-4001

Soil Vapor Extraction and Bioventing.

EM 1110-2-1901

Seepage Analysis and Control for Dams.

EM 1110-2-1913

Design and Construction of Levees.

EP 200-1-2

Process and Procedures for RCRA Manifesting.

CEGS-01351

Safety Health and Emergency Response.

CEGS-01450

Chemical Data Quality Control.

CEGS-02110

Clearing and Grubbing.

CEGS-02111

Excavation and Handling of Contaminated Material.

CEGS-02140

Select Fill and Topsoil for Landfill Cover.

CEGS-02318

Test Fill.

CEGS-02372

Waste Containment Geomembrane.

CEGS-02373

Separation/Filtration Geotextile.

CEGS-02374

Geosynthetic Drainage Layer.

CEGS-02375

Geogrid Soil Reinforcement.

CEGS-02376

Geosynthetic Clay Liner.

CEGS-02377

Clay Barrier Layer.

CEGS-02522

Ground-Water Monitoring Wells.

c. U.S. Environmental Protection Agency.

EPA/600/2-85/035

Settlement and Cover Subsidence in Hazardous Waste Landfills.

EPA/600/52-87/025

Prediction/Mitigation of Subsidence Damage to Hazardous Waste Landfill Covers.

EPA/600/R-93/171

Report of Workshop on Geosynthetic Clay Liners.

EPA/600/R-93/182

Quality Assurance and Quality Control for Waste Containment Facilities.

EPA/600/R-94/168a

The Hydrologic Evaluation of Landfill Performance (HELP) Model, Users Guide Version 3.

EPA/600/R-94/168b

The Hydrologic Evaluation of Landfill Performance (HELP) Model, Engineering Documentation for Version 3.

EPA/625/4-91/025

Design and Construction of RCRA/CERCLA Final Covers.

EPA/625/6-88/018

Guide to Technical Resources for the Design of Land Disposal Facilities.

d. U.S. Department of Agriculture.

U.S. Department of Agriculture 1997

USDA, 1997. U.S. Department of Agriculture Handbook Number 703, *Predicting Soil Erosion by Water: A Guide to Conservation Planning With the Revised Universal Soil Loss Equation (RUSLE)*.

e. Other Organizations.

AASHTO M 252-90

AASHTO, 1990. "Corrugated Polyethylene Drainage Tubing," In *Standard Specifications for Transportation Materials and Methods of Sampling and Testing*, Fifteenth Edition, American Association of State Highway and Transportation Officials.

AASHTO M 288-96

AASHTO, 1996. "Interim Geotextile Specification for Highway Applications," In *Standard Specifications for Transportation Materials and Methods of Sampling and Testing*, Seventeenth Edition, American Association of State Highway and Transportation Officials.

AASHTO M 294-90

AASHTO, 1990. "Corrugated Polyethylene Pipe, 12 to 36 inch Diameter," In *Standard Specifications for Transportation Materials and Methods of Sampling and Testing*, Fifteenth Edition, American Association of State Highway and Transportation Officials.

AASHTO-ABC-ARBTA

AASHTO-ABC-ARBTA, Task Force Number 25, *Specification for Geotextiles*, American Association of State Highway and Transportation Officials.

ASTM D 1557

Laboratory Compaction Characteristics of Soil Using Modified Effort (56,000 ft-lbf/ft³ (2,700 kN-m/m³)).

ASTM D 1755

Standard Specification for Poly(Vinyl Chloride) Resins.

ASTM D 1785

Standard Specification for Poly(Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80, and 120.

ASTM D 1987

Biological Clogging of Geotextiles or Soil/Geotextile Filters.

ASTM D 2241

Standard Specification for Poly (Vinyl Chloride) (PVC) Pressure-Rated Pipe (SDR Series).

ASTM D 2487

Classification of Soils for Engineering Purposes (Unified Soil Classification System).

ASTM D 4533

Trapezoidal Tearing Strength of Geotextiles.

ASTM D 4595

Tensile Properties of Geotextiles by the Wide-width Strip Method.

ASTM D 4632

Grab Breaking Load and Elongation of Geotextiles.

ASTM D 4716

Constant Head Hydraulic Transmissivity (In-Plane Flow) of Geotextiles and Geotextile Related Products.

ASTM D 4833

ASTM D 4833, Index Puncture Resistance of Geotextiles, Geomembranes, and Related Products.

ASTM D 4884

Seam Strength of Sewn Geotextiles.

ASTM D 5084

Measurement of Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter.

ASTM D 5101

Measuring the Soil-Geotextile System Clogging Potential by the Gradient Ratio.

ASTM D 5321

Determining the Coefficient of Soil and Geosynthetic or Geosynthetic and Geosynthetic Friction by the Direct Shear Method.

ASTM D 698

Laboratory Compaction Characteristics of Soil Using Standard Effort (12,400 ft-lbf/ft³ (600 kN-m/m³)).

Daniel 1993

Daniel, D.E., 1993. *Geotechnical Practice for Waste Disposal*, Chapman and Hall.

Edris and Wright 1992

Edris, E.V., Jr., and S.G. Wright, 1992. Instruction Report GL-87-1, *User's Guide: UTEXAS3 Slope-Stability Package*, U.S. Army Engineer Waterways Experiment Station.

Koerner 1998

Koerner, R.M., 1998. *Designing with Geosynthetics*, 4th edition, Prentice Hall.

McCuen 1989

McCuen, R.H., 1989. *Hydrologic Analysis and Design*, Prentice Hall.

Morris and Woods 1994

Morris, D.V., and C.E. Woods, 1994. *Settlement and Engineering Considerations in Landfill and Final Cover Design*, ASTM STP 1070—*Geotechnics of Waste Fills*.

NWS TP 40

Rainfall Frequency Atlas of the United States, 30-minute to 24 hour Durations, 1 to 100 year Return Periods, 1961.

Richardson and Garrett 2000

Richardson, G.N., and G.D. Garrett, 2000. "Percolation Through Landfill Final Covers," *Geotechnical Fabrics Report*, May 2000, Vol. 18, No. 3, pp. 22–26.

Richardson and Zhao 1999

Richardson, G.N., and A. Zhao, 1999. *Design Manual of Lateral Drainage Systems for Landfills*, G. N. Richardson & Associates.

Sowers 1973

Sowers, G.F., 1973. "Settlement of Waste Disposal Fills," in *Proceedings 8th International Conference on Soil Mechanics and Foundation Engineering, Moscow*.

Thiel and Stewart 1993

Thiel, R.S., and M.G. Stewart, 1993. "Geosynthetic Landfill Cover Design Methodology and Construction Experience in the Pacific Northwest," in *Proceedings Geosynthetics '93, Vancouver, Canada, IFAI*, pp. 1131–1144.

Wilson-Fahmy et al. 1996

Wilson-Fahmy, R.F., D. Narejo, and, R.M. Koerner, 1996. "Puncture Protection of Geomembranes Part I: Theory," *Geosynthetics International*, Vol. 3, No. 5, pp. 605–628.

A-2. Related References. These are documents for further information.

a. *Pre-design Investigations.*

EM 200-1-3

Requirements for the Preparation of Sampling and Analysis Plans.

EM 1110-1-1802

Geophysical Exploration for Engineering and Environmental Investigations..

EM 1110-1-1804

Geotechnical Investigations.

EPA 530/SW-846

Test Methods for Evaluating Solid Waste.

EPA 600/4-84/076

Characterization of Hazardous Waste Sites—A Methods Manual: Volume I, Site Investigations.

EPA 600/4-89/034

Handbook of Suggested Practices for the Design and Installation of Ground-Water Monitoring Wells.

EPA 600/4-91/029

Guide to Site and Soil Description for Hazardous Waste Sites.

EPA 600/7-84/007

Geophysical Techniques for Sensing Buried Wastes and Waste Migration.

EPA 625/12-91/002

Description and Sampling of Contaminated Soils: A Field Pocket Guide.

EPA 625/R-92/007

Use of Airborne, Surface and Borehole Geophysical Techniques at Contaminated Sites.

EPA 625/R-93/003

Subsurface Characterization and Monitoring Techniques: A Desk Reference Guide.

b. Covers and Landfills.

TM 5-814-5

Sanitary Landfill.

TM 5-814-7

Hazardous Waste Land Disposal/Land Treatment Facilities.

EPA/530/SW-84/004

Permit Applicants Guidance Manual for Hazardous Waste Land Treatment, Storage, and Disposal Facilities.

EPA/530-SW-89/047

Final Covers on Hazardous Waste Landfills and Surface Impoundments.

EPA/540/2-85/002

Covers for Uncontrolled Hazardous Waste Sites.

EPA/600/S2-87/039

Design, Construction, and Maintenance of Cover Systems for Hazardous Waste.

EPA/600/2-88/052

Lining of Waste Containment and Other Impoundment Facilities.

EPA/625/K-91/001

Construction Quality Assurance/Quality Control (CQA/CQC) for Waste Containment Facilities—Hydraulic Evaluation of Landfill Performance (HELP) Model.

EPA/625/4-89/002

Requirements for Hazardous Waste Landfill Design, Construction, and Closure.

Koerner and Daniel 1997

Koerner, R.M., and D.E. Daniel, 1997. *Final Covers for Solid Waste Landfills and Abandoned Dumps*, ASCE Press.

Soong and Koerner 1998

Soong, T.-Y. and R.M. Koerner, 1998. *Analysis and Critique of Ten Large Solid Waste Landfill Failures*, Geosynthetic Research Institute Report No. 22.

c. Geosynthetics.

EPA/530/SW-89/069

The Fabrication of Polyethylene FML Field Seams.

EPA/530/SW-91/051

Inspection Techniques for the Fabrication of Geomembrane Field Seams.

Holtz et al. 1997

Holtz, R.D., B.R. Christopher, and R.R. Berg, 1997. *Geosynthetic Engineering*, Biotech Publishers,

Ltd.

GRI Test Methods and Standards

Geosynthetic Research Institute, most recent edition.

Geotechnical Fabrics Report

Industrial Fabrics Association International, St Paul, Minnesota.

Geosynthetics International

Industrial Fabrics Association International, St. Paul, Minnesota.

Koerner et al. 1990

Koerner, R.M., Y.H. Halse, and A.E. Lord, 1990. *Geomembrane Durability and Aging*, ASCE Geotechnical Special Publication No. 26, Proceedings of ASEC November 1990 National Convention.

Koerner et al. 1993

Koerner, R.M., Y.G. Hsuan, and A.E. Lord, 1993, *Stress Cracking Behavior of HDPE Geomembranes and its Prevention*, Geosynthetic Research Institute Report No. 9.

Koerner and Koerner 1988

Koerner, R.M., and G.R. Koerner, 1988. *A Quantification and Assessment of Installation Damage to Geotextiles*, Geosynthetic Research Institute Report No. 2.

Soong and Koerner 1996.

Soong, T.-Y., and R.M. Koerner, 1996. *Behavior of Waves in High Density Polyethylene Geomembranes*, Geosynthetic Research Institute Report No. 17.

d. Quality Assurance/Quality Control.

EP 415-1-261

Quality Assurance Representative's Guide.

NTIS PB87-132825

Construction Quality Assurance for Hazardous Waste Land Disposal Facilities.

ASTM

ASTM Standards and Other Specifications and Test Methods on the Quality Assurance of Landfill Liner Systems, 1994. ASTM Publication Code Number: 03-435193-38.

e. Stability Considerations.

Koerner and Bao-Lin 1990

Koerner, R.M., and H.W.U. Bao-Lin, 1990. *Stability and Tension Considerations Regarding Cover Soils on Geomembrane Lined Slopes*, Geosynthetic Research Institute.

Mitchel et al. 1990

Mitchell, J.K., R.B. Seed, and H.B. Seed, 1990. *Stability Considerations in the Design and Construction of Lined Waste Repositories*, ASTM STP 1070-*Geotechnics of Waste Fills*.

Singh and Murphy 1990

Singh, S., and B.J. Murphy, 1990. *Evaluation of the Stability of Sanitary Landfills*, ASTM STP 1070-*Geotechnics of Waste Fills*.

Soong and Koerner 1996.

Soong, T.-Y. and R.M. Koerner, 1996. *Cover Slope Stability Involving Geosynthetic Interfaces*, Geosynthetic Research Institute Report No. 18.

f. Settlement.

EPA-600/2-85/035

Settlement and Cover Subsidence of Hazardous Waste Landfills.

Yen and Scanlon 1975

Yen, B.C., and B. Scanlon, 1975. "Sanitary Landfill Settlement Rates," *Journal of the Geotechnical Engineering Division, ASCE*, May, pp. 475–487.

Landvua and Clark 1990

Landvua, A.O., and J.I. Clark, 1990. *Geotechnics of Waste Fills*, ASTM STP 1070.

Ranguette and Wvellner 1994

Ranguette, V.J., and W.W. Wvellner, 1994. *Settlement of Municipal Waste*, ASTM STP 1070 - *Geotechnics of Waste Fills*.

g. Clay Liners/Alternate Barriers.

EPA/530/SW-86/007F

Design, Construction and Evaluation of Clay Liners for Waste Management Facilities.

EPA/600/2-88/067

Field and Laboratory Testing of a Compacted Soil Liner.

EPA/600/2-91/002

Compilation of Information on Alternative Barriers for Liner and Cover Systems.

EPA/600/J-86/460

Clay Liner Construction and Quality Control.

EPA/600/R-96/149

Report of 1995 Workshop on Geosynthetic Clay Liners.

EPA/600/S-92/024

Construction, Monitoring, and Performance of Two Soil Liners, USEPA Project Summary.

Boutwell and Tsai 1992

Boutwell, G.P., and C.N. Tsai, 1992. "The Two-Stage Field Permeability Test for Clay Liners," *Geotechnical News*, June.

Rowe et al. 1997

Rowe, K.R., R.M. Quigley, and J.R. Booker, 1997. *Clayey Barrier Systems for Waste Disposal Facilities*, E&FN Spon Publishers.

Shackelford and Jared 1991

Shackelford, C.D. and F. Jared, 1991. "Large-Scale Laboratory Permeability Testing of a Compacted Clay Soil," *Geotechnical Testing Journal, ASTM*.

Kim and Daniel 1992

Kim, W.-H., and D.E. Daniel, 1992. "Effects of Freezing on Hydraulic Conductivity of Compacted Clay," *ASCE Journal of Geotechnical Engineering*, Vol. 118, No. 7, July, pp. 1083–1097.

Zimmie 1992

Zimmie, T.F., 1992. "Freeze-Thaw Effects on Permeability of Compacted Clay Liners and Covers," *Geotechnical News*, March.

h. Gas Vent Design.

Pohland and Harper

Pohland, F.G., and S.R. Harper, *Critical Review and Summary of Leachate and Gas Production from Landfills*, EPA/600/2-86/073.

Bagchi 1990

Bagchi, A., 1990. *Design, Construction, and Monitoring of Sanitary Landfills*, John Wiley, New York.

EMCON Associates 1980

EMCON Associates, 1980. *Methane Generation and Recovery from Landfills*, Ann Arbor Science, Ann Arbor, Michigan.

Ham and Barlaz 1987

Ham, R.K., and M.A. Barlaz, 1987. "Measurement and Prediction of Landfill Gas Quality and Quantity," in *ISWA International Symposium, Process, Technology, and Environmental Impact of Sanitary Landfills, Cagliari, Sardinia, Italy, October 20–23*.

i. Leachate and Internal Drainage Systems.

Cedergren 1977

Cedergren, H.R., 1977. *Seepage, Drainage and Flow Nets*, 2nd Edition, John Wiley and Sons.

EPA/600/2-87/049

Verification of the Lateral Drainage Component of the HELP Model using Physical Models.

EPA/600/2-87/050

Verification of the HELP Model Using Field Data.

EPA/600/D-86/058

Avoiding Failure of Leachate Collection and Cap Drainage Systems.

Koerner and Koerner 1995

Koerner, R.M., and G. R. Koerner, 1995. *Leachate Clogging Assessment of Geotextile and Soil Landfill Filters*, Geosynthetic Research Institute Report No. 15.

Soong and Koerner 1997

Soong, T.-Y., and R.M. Koerner, 1997. *The Design of Drainage Systems Over Geosynthetically Lined Slopes*, Geosynthetic Research Institute Report No. 19.

j. Erosion and Sediment Control.

Engineering Standard 600-1

Terrace, Soil Conservation Service, March 1983.