

<b>Chapter 1—General Requirements</b> .....	1-1
1.1 Purpose of This Manual .....	1-1
1.2 Scope.....	1-1
1.3 References.....	1-2
1.4 Application of Criteria.....	1-2
1.5 Service Requirements .....	1-2
1.6 Theater of Operations .....	1-2
1.7 Security Considerations for Design .....	1-3
1.8 Waivers to Criteria.....	1-3
1.9 Notice of Construction.....	1-3
1.10 Zoning.....	1-3
1.11 Construction Phasing Plan.....	1-4
1.12 Associated Design Manuals.....	1-4
1.13 Use of Terms.....	1-4
<b>Chapter 2—Aviation Facilities Planning</b> .....	2-1
2.1 Applicability .....	2-1
2.2 Justification.....	2-3
2.3 General Planning Considerations.....	2-3
2.4 Planning Studies .....	2-5
2.5 Siting Aviation Facilities (Army Only).....	2-7
2.6 Airside and Landside Facilities.....	2-9
2.7 Landing and Takeoff Area.....	2-9
2.8 Aircraft Ground Movement and Parking Areas.....	2-10
2.9 Aircraft Maintenance Area (Other than Pavements).....	2-12
2.10 Aviation Operations Support Area .....	2-13
<b>Chapter 3—Runways (Fixed-Wing) and Imaginary Surfaces</b> .....	3-1
3.1 Contents .....	3-1
3.2 Requirements .....	3-1
3.3 Runway Classification .....	3-1
3.4 Runway Systems.....	3-2
3.5 Runway Orientation/Wind Data .....	3-2
3.6 Additional Considerations for Runway Orientation.....	3-6
3.7 Runway Designation.....	3-8

3.8	Runway Dimensions .....	3-8
3.9	Shoulders .....	3-27
3.10	Runway Overruns .....	3-27
3.11	Runway Clear Zones.....	3-29
3.12	Accident Potential Zones (APZ).....	3-29
3.13	Airspace Imaginary Surfaces .....	3-29
3.14	Airspace for Aviation Facilities with Two or More Runways.....	3-37
3.15	Obstruction to Air Navigation .....	3-37
3.16	Aircraft Arresting Systems .....	3-38
<b>Chapter 4—Rotary-Wing Runways, Helipads, Landing Lanes, and Hoverpoints.....</b>		<b>4-1</b>
4.1	Contents .....	4-1
4.2	Landing and Take-off Layout Requirements.....	4-1
4.3	Rotary-Wing Runway .....	4-1
4.4	Helipads .....	4-7
4.5	Same Direction Ingress/Egress .....	4-9
4.6	Hoverpoints.....	4-9
4.7	Rotary-Wing Landing Lanes.....	4-10
4.8	Helicopter Slide Areas or “Skid Pads” .....	4-16
4.9	Shoulders for Rotary-Wing Facilities.....	4-16
4.10	Overruns for Rotary-Wing Runways and Landing Lanes.....	4-16
4.11	Clear Zone and Accident Potential Zone (APZ).....	4-16
4.12	Imaginary Surfaces for Rotary-Wing Runways, Helipads, Landing Lanes and Hoverpoints.....	4-21
4.13	Obstructions and Airfield Airspace Criteria .....	4-28
<b>Chapter 5—Taxiways .....</b>		<b>5-1</b>
5.1	Contents .....	5-1
5.2	Taxiway Requirements .....	5-1
5.3	Taxiway Systems .....	5-1
5.4	Taxiway Layout.....	5-1
5.5	Fixed-Wing Taxiway Dimensions.....	5-4
5.6	Rotary-Wing Taxiway Dimensions .....	5-7
5.7	Taxiways at Dual Use (Fixed- and Rotary-Wing) Airfields.....	5-7
5.8	Taxiway Intersection Criteria.....	5-7

5.9	High-Speed Taxiway Turnoff Criteria.....	5-10
5.10	Apron Access Taxiways .....	5-10
5.11	Shoulders .....	5-10
5.12	Towways.....	5-13
5.13	Hangar Access .....	5-13
<b>Chapter 6—Aprons and Other Pavements .....</b>		<b>6-1</b>
6.1	Contents .....	6-1
6.2	Apron Requirements .....	6-1
6.3	Types of Aprons and Other Pavements .....	6-1
6.4	Aircraft Characteristics .....	6-1
6.5	Parking Apron for Fixed-Wing Aircraft .....	6-1
6.6	Taxiing Characteristics on Aprons for Fixed-Wing Aircraft .....	6-9
6.7	Parking Apron for Rotary-Wing Aircraft.....	6-9
6.8	Warm-Up Pads.....	6-18
6.9	Power Check Pad .....	6-25
6.10	Arm/Disarm Pads.....	6-29
6.11	Compass Calibration Pad (CCP) .....	6-34
6.12	Hazardous Cargo Pads .....	6-37
6.13	Alert Pad .....	6-39
6.14	Aircraft Wash Racks.....	6-43
6.15	Hangar Access Aprons.....	6-52
6.16	Taxiing Characteristics on Aprons for Rotary-Wing Aircraft .....	6-54
6.17	Fixed-Wing and Rotary-Wing Grading Standards.....	6-54
6.18	Shoulders .....	6-55
6.19	Miscellaneous Apron Design Considerations.....	6-55
6.20	Jacking Considerations .....	6-55
<b>Chapter 7—Shortfields and Training Assault Landing Zones - (Reserved for future use).....</b>		<b>7-1</b>
<b>Chapter 8—Aircraft Hangar Pavements .....</b>		<b>8-1</b>
8.1	General Requirements.....	8-1
8.2	Aircraft Modules Space .....	8-1
8.3	Hangar and Shelter Clearances .....	8-1
8.4	Hangar Floor Design.....	8-2

## **Figures**

2.1.	Aviation Facilities Planning Process .....	2-2
3.1.	Runway and Primary Surface Transverse Sections .....	3-9
3.2.	Clear Zone Transverse Section Detail .....	3-10
3.3.	Runway and Overrun Longitudinal Profile.....	3-11
3.4.	Army Clear Zone and Accident Potential Zone Guidelines .....	3-12
3.5.	Air Force Clear Zone and Accident Potential Zone Guidelines .....	3-13
3.6.	Navy and Marine Corps Clear Zone and Accident Potential Zone Guidelines .....	3-14
3.7.	Class A VFR Runway Primary Surface End Details.....	3-15
3.8.	Class A VFR Runway Isometric Airspace Imaginary Surfaces.....	3-16
3.9.	Class A VFR Runway Plan and Profile Airspace Imaginary Surfaces.....	3-17
3.10.	Class A IFR Runway Primary Surface End Details.....	3-18
3.11.	Class A IFR Runway Airspace Imaginary Surfaces .....	3-19
3.12.	Class A IFR Runway Plan and Profile Airspace Imaginary Surfaces.....	3-20
3.13.	Class B Army and Air Force Runway Primary Surface End Details.....	3-21
3.14.	Class B Army and Air Force Runway Airspace Imaginary Surfaces.....	3-22
3.15.	Class B Army and Air Force Runway Airspace Plan and Profile Runway Imaginary Surfaces .....	3-23
3.16.	Class B Navy Runway Primary Surface End Details.....	3-24
3.17.	Class B Navy Runway Airspace Imaginary Surfaces.....	3-25
3.18.	Class B Navy Runway Airspace Plan and Profile Runway Imaginary Surfaces.....	3-26
3.19.	VFR and IFR Crosswind Runways Isometric Airspace Imaginary Surfaces.....	3-27
4.1.	Air Force, Navy, and Marine Corps Helicopter VFR Runway.....	4-4
4.2.	Army Helicopter Runway and Air Force, Navy, and Marine Corps Helicopter IFR Runway .....	4-5
4.3.	Airspace Imaginary Surfaces, Army Helicopter Runway and Helipad, and Air Force, Navy, and Marine Corps IFR Helicopter Runway and Helipad .....	4-6
4.4.	Standard VFR Helipad for Air Force.....	4-10
4.5.	Standard VFR Helipad for Navy and Marine Corps and Limited Use VFR Helipad for Air Force.....	4-11
4.6.	Army Helipad and Air Force, Navy, and Marine Corps IFR Helipad.....	4-12
4.7.	Air Force Helipad with Same Direction Ingress/Egress .....	4-13

4.8	Army Helipad with Same Direction Ingress/Egress and Air Force IFR Helipad with Same Direction Ingress/Egress.....	4-14
4.9	Helicopter Landing Zone.....	4-15
4.10	Helicopter Hoverpoint.....	4-19
5.1	Common Taxiway Designations.....	5-2
5.2	Spacing Requirements - Normal Taxiway Turnoffs.....	5-3
5.3	Taxiway and Primary Surface Transverse Sections.....	5-8
5.4	Intersection Geometry for Army and Air Force Facilities, and Navy and Marine Corps Facilities Serving Aircraft with Wingspan Less Than 33.5 meters (110 feet).....	5-11
5.5	Intersection Geometry for Navy and Marine Corps Facilities Serving Aircraft with Wingspan Greater Than 33.5 meters (110 feet).....	5-12
5.6	Toway Criteria.....	5-15
6.1	Apron Nomenclatures and Criteria.....	6-2
6.2	Army and Air Force Parking Plan.....	6-4
6.3	Truck Refueling Safety Zone Example.....	6-5
6.4	Apron With Diagonal Parking.....	6-10
6.5	Type 1 Parking for All Aircraft Except CH-47.....	6-12
6.6	Type 1 Parking for CH-47.....	6-13
6.7	Type 2 Parking for Skid Aircraft.....	6-14
6.8	Type 2 Parking for Wheeled Aircraft.....	6-15
6.9	Warm-Up Pad at End of Parallel Taxiway.....	6-19
6.10	Warm-Up Pad Next to Parallel Taxiway.....	6-19
6.11	Warm-Up Pad Located in Clear Zone.....	6-20
6.12	Warm-Up Pad Located in Approach-Departure Clearance Surface.....	6-21
6.13	Warm-Up Pad/Localizer Critical Area.....	6-22
6.14	Air Force Warm-Up Pad/Glide Slope Critical Area.....	6-23
6.15	Warm-Up Pad/CAT II ILS Critical Area.....	6-24
6.16	Warm-Up Pad Taxiing and Wingtip Clearance Requirements.....	6-25
6.17	Geometry for Rectangular Power Check Pad.....	6-26
6.18	Geometry for Square Power Check Pad.....	6-27
6.19	Geometry for Circular Power Check Pad.....	6-28
6.20	Arm-Disarm Pad for F-4 Fighter.....	6-31
6.21	Arm-Disarm Pad for F-15 Fighter.....	6-32

6.22	Arm-Disarm Pad for F-16 Fighter .....	6-33
6.23	Arm-Disarm Pad for F-111 Fighter .....	6-34
6.24	Army and Air Force Compass Calibration Pad .....	6-36
6.25	Hazardous Cargo Pad Other Than APOE/Ds .....	6-38
6.26	Typical Hazardous Cargo Pad for APOE/Ds.....	6-38
6.27	Typical Alert Apron for Bombers and Tanker Aircraft .....	6-40
6.28	Typical Alert Pad for Fighter Aircraft .....	6-40
6.29	Alert Apron Taxi-In/Taxi-Out Parking .....	6-42
6.30	Alert Apron Back-In Parking.....	6-43
6.31	Wash Rack for Mixed Mission Facility .....	6-45
6.32	Heavy Bomber Wash Rack (B-52 or B-1).....	6-46
6.33	Cargo Aircraft Wash Rack.....	6-47
6.34	Fighter Aircraft Wash Rack and Navy Type A Wash Rack .....	6-48
6.35	Navy Type B Wash Rack.....	6-49
6.36	Helicopter Wash Rack .....	6-50
6.37	Utilities and In-Pavement Structures .....	6-51

**Tables**

1.1.	Associated Design Manuals.....	1-4
3.1.	Runway Classification by Aircraft Type.....	3-1
3.2.	Runways.....	3-3
3.3.	Army Class A Runway Lengths.....	3-28
3.4.	Overruns.....	3-28
3.5.	Clear Zones .....	3-30
3.6.	Accident Potential Zones (APZ).....	3-32
3.7.	Airspace Imaginary Surfaces (Approach-Departure Clearance Surface).....	3-33
3.8.	Imaginary Surfaces Minimum Clearances Over Highway, Railroad, Waterway, and Trees .....	3-38
4.1.	Rotary-Wing Runways.....	4-1
4.2.	Rotary-Wing Helipads and Hoverpoints.....	4-7
4.3.	Rotary-Wing Landing Lanes.....	4-17
4.4.	Shoulders for Rotary-Wing Facilities.....	4-18
4.5.	Overruns for Rotary-Wing Runways and Landing Lanes.....	4-20

4.6.	Rotary-Wing Runway and Landing Lane Clear Zone and Accident Potential Zone (APZ).....	4-21
4.7.	Rotary-Wing Imaginary Surface for VFR Approaches.....	4-22
4.8.	Rotary-Wing Imaginary Surfaces for IFR Approaches.....	4-25
5.1.	Fixed-Wing Taxiways.....	5-4
5.2.	Rotary-Wing Taxiways.....	5-9
5.3.	Rotary-Wing Taxiway Shoulders.....	5-9
5.4.	Towways.....	5-13
6.1.	Fixed-Wing Aprons .....	6-6
6.2.	Rotary-Wing Aprons for Army Airfields.....	6-16
6.3.	Minimum Separation Distance on Bomber Alert Aprons from the Centerline of a Through Taxilane to a Parked Aircraft.....	6-41
6.4.	Wash Rack Clearances From Aircraft to Curb .....	6-44
6.5.	Hangar Access Apron .....	6-53
8.1.	Aircraft Space Module for Army Aviation Facilities .....	8-1
8.2.	Aircraft Clearances Inside Hangars .....	8-2

***Attachments***

Attachment 1	---- GLOSSARY OF REFERENCES AND SUPPORTING INFORMATION.....	A1-1
Attachment 2	---- WAIVER PROCESSING PROCEDURES.....	A2-1
Attachment 3	---- ARMY LAND USE AND FACILITY SPACE – ALLOWANCES.....	A3-1
Attachment 4	---- DEPARTMENT OF DEFENSE LAND USE COMPATIBILITY GUIDELINES FOR CLEAR ZONE AND ACCIDENT POTENTIAL ZONES.....	A4-1
Attachment 5	---- WIND COVERAGE STUDIES .....	A5-1
Attachment 6	---- STANDARDS FOR DETERMINING OBSTRUCTIONS – FAR PART 77, PARAGRAPHS 77.13, 77.15, 77.17 and 77.23.....	A6-1
Attachment 7	---- AIRCRAFT CHARACTERISTICS FOR AIRFIELD-HELIPORT DESIGN AND EVALUATION.....	A7-1
Attachment 8	---- JET BLAST EFFECTS .....	A8-1
Attachment 9	---- JET BLAST DEFLECTOR.....	A9-1
Attachment 10	--- EXPLOSIVES ON OR NEAR AIRFIELDS.....	A10-1
Attachment 11	--- COMPASS CALIBRATION PAD (CCP) MAGNETIC SURVEY .....	A11-1
Attachment 12	--- TIEDOWNS, MOORING, AND GROUNDING POINTS.....	A12-1
Attachment 13	--- FLIGHTLINE VEHICLE PARKING - NAVY AND MARINE CORPS.....	A13-1
Attachment 14	--- DEVIATIONS FROM CRITERIA FOR AIR FORCE AIRFIELD SUPPORT FACILITIES.....	A14-1
Attachment 15	--- CONSTRUCTION PHASING PLAN.....	A15-1
Attachment 16	--- MISCELLANEOUS FIGURES.....	A16-1
Attachment 17	--- NAVIGATIONAL AIDS (NAVAIDS) DESIGN AND SUPPORT .....	A17-1
Attachment 18	--- AIR TRAFFIC CONTROL TOWER (ATCT) SITING CRITERIA.....	A18-1