

TECHNICAL MANUAL

No. 5-814-9

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON D.C.

8 February 1992

CENTRAL VEHICLE WASH FACILITIES

	Paragraph	Page
CHAPTER 1. INTRODUCTION		
Purpose	1-1	1-1
Scope	1-2	1-1
References	1-3	1-1
Applicability	1-4	1-1
Explanation of terms and abbreviations	1-5	1-1
Background	1-6	I-1
CHAPTER 2. CVWF DESIGN CONCEPT		
Overview	2-1	2-1
Prewash (optional)	2-2	2-1
Wastewater treatment	2-3	2-1
CHAPTER 3. MASTER PLANNING		
Sizing	3-1	3-1
Siting	3-2	3-7
CHAPTER 4. STANDARD WASH FACILITY		
Section I. VEHICLE PREPARATION AREA		
General	4-1	4-1
Sizing	4-2	4-1
Staging and Cleanup	4-3	4-1
Drainage	4-4	4-1
Section II. WASH STATION		
Function	4-5	4-1
Configuration	4-6	4-1
Island design	4-7	4-3
Tower design	4-8	4-3
Protection against freezing	4-9	4-5
Water supply piping	4-10	4-5
Paved area drainage	4-11	4-5
Pavement	4-12	4-8
Interior wash equipment	4-13	4-8
Section III. SUPPORT FACILITIES		
Lighting	4-14	4-9
Physical security	4-15	4-9
Signage	4-16	4-9
Solid waste collection	4-17	4-9
Operation and controls	4-18	4-9
CHAPTER 5. OPTIONAL PREWASH		
Section I. TYPES OF PREWASH		
Introduction	5-1	5-1
Bath prewash	5-2	5-1
Vehicle spray stands	5-3	5-7
Section II. BATH PREWASH SUPPORT FACILITIES		
Wash water supply lines	5-4	5-12
Wastewater conveyances	5-5	5-12
Bypass lane	5-6	5-12
Lighting	5-7	5-12
CHAPTER 6. WASTEWATER TREATMENT		
Section I. GENERAL CONCEPTS		
Overview	6-1	6-1
Treatment System	6-2	6-1
Section II. DESIGN PARAMETERS		
Criteria	6-3	6-1
Wash period (T_w)	6-5	6-1
Cleanup time (K)	6-5	6-2

TM 5-814-9

Water usage factor (Uf)	6-6	6-2
Stormwater	6-7	6-2
Stormwater bypass	6-8	6-2
Washwater demand	6-9	6-2
Water volume	6-10	6-3
Section III. PRIMARY TREATMENT		
Function	6-11	6-5
Number of basins	6-12	6-5
Siting	6-13	6-5
Sizing	6-14	6-5
Sediment basin influent structure	6-15	6-8
Sediment basin effluent structure	6-16	6-8
Sediment basin construction	6-17	6-8
Sediment basin drainage	6-18	6-8
Sediment removal	6-19	6-9
Oil removal	6-20	6-9
Waste oil storage	6-21	6-12
Maintenance	6-22	6-12
Other construction	6-23	6-12
Section IV. SECONDARY TREATMENT		
Onsite secondary treatment	6-24	6-12
Objective	6-25	6-12
Intermittent sand filter system	6-26	6-13
Lagoon system	6-27	6-22
Discharge system	6-28	6-23
Section V. WATER SUPPLY BASIN		
Introduction	6-29	6-25
Capacity	6-30	6-25
Liner	6-31	6-25
Influent	6-32	6-25
Service	6-33	6-25
Security	6-34	6-25
Section VI. OTHER TREATMENT SYSTEM COMPONENTS		
Water Source	6-35	6-28
Piping	6-36	6-28
CHAPTER 7. OTHER DESIGN CONSIDERATIONS		
Water Source	7-1	7-1
Piping	7-2	7-1
Hoses, water cannons, and nozzles	7-3	7-1
Control Systems	7-4	7-1
Systems operating manuals	7-5	7-1
APPENDIX A. DESIGN EXAMPLE		
GLOSSARY		
A-1		

LIST OF FIGURES

Figure No.	Page
1-1. Standard washing sequence for tactical vehicles	1-1
1-2. Washing procedure with optional prewash	1-1
2-1. Standard central vehicle wash facility plan	2-2
2-2. Central vehicle wash facility plan with bath prewash	2-3
3-1. Cohesive soil gradation curve	3-2
3-2. Noncohesive soil gradation curve	3-3
3-3. Soil classification and soil type number diagram	3-4
3-4. Vehicle processing rates	3-5
4-1. Skewed wash station arrangement	4-2
4-2. Wash island plan showing spacing	4-3
4-3. Double-tower island	4-4
4-4. Cross section of an island	4-5
4-5. Longitudinal section of an island	4-6
4-6. Tower detail in cross section	4-7
4-7. Cross section of a trench drain	4-8
4-8. Example floor plan for the control building	4-10
4-9. Control building exterior	4-11
5-1. Example combined bath lane facility-plan view	5-2
5-2. Tracked bath lane--cross section	5-3
5-3. Example inner wash islands	5-3
5-4. Example outer wash islands	5-4
5-5. Example cross section of a cannon island	5-5
5-6. Tracked bath lane	5-6
5-7. Dual-purpose lane	5-8
5-8. U-drain	5-9
5-9. Bath cross section	5-9
5-10. Configuration of u-drains in the bath	5-10
5-11. Water level control structure	5-11
6-1. Single-cell sediment basin — plan view	6-5
6-2. Single-cell sediment basin — cross section	6-5
6-3. Dual-cell sediment basin — plan view	6-6
6-5. Dual-cell sediment basin — cross section	6-6
6-5. Typical design water and sediment depths	6-7
6-6. Typical effluent structure with an overflow trench. Sediment basins, without bath	6-9
6-7. Typical effluent structure with motorized gates. Sediment basins with bath	6-10
6-8. Sedimentation basin drain system	6-11
6-9. Components of an intermittent sand filter system	6-12
6-10. General schematic of an intermittent sand filter recycle system	6-13
6-11. Example equalization basin — plan view	6-14
6-12. Equalization basin — cross section	6-14
6-13. Distribution system using a grid arrangement	6-18
6-14. Distribution box	6-19
6-15. Distribution system using distribution boxes	6-20
6-16. Collection system	6-21
6-17. Intermittent sand filter cross section	6-22
6-18. Components of a lagoon system	6-23
6-19. General flow schematic of a lagoon system	6-24
6-20. Components of a total discharge system	6-25
6-21. General flow schematic of a total discharge system	6-26
6-22. Water supply basin—plan view	6-27
6-23. Water supply basin--cross section	6-27
A-1. Vehicles returning from the training areas each month	A-4
A-2. Site map with proposed layout — Fort Swampy	A-7
A-3. Bath design	A-9
A-4. Configuration A	A-10
A-5. Configuration B	A-11
A-6. Cross section of the bath	A-12
A-7. Water volume configuration: (a) plan view and (b) cross section	A-19
A-8. Overall cell configuration	A-20
A-9. Equalization basin: (a) plan view (b) cross section	A-21
A-10. Water supply basin: (a) plan view (b) cross section	A-22
A-11. Equalization basin water balance — water volume versus time	A-23
A-12. Water supply basin capacity	A-24

LIST OF TABLES

Table		Page
6-1.	Estimated volume of material per vehicle	6-7
A-1.	Number of vehicle type by motor pool assignment	A-2
A-2.	Number of vehicles returning from the field each month	A-3
A-3.	Summary of flow rates	A-15
A-4.	Summary of average volumes	A-15
A-5.	Summary of maximum volumes	A-17