

**ENGINEERING AND DESIGN
OF
MILITARY PORTS**

		Paragraph	Page
CHAPTER	1. INTRODUCTION		
	Purpose and scope.....	1-1	1-1
	Changes.....	1-2	1-1
	Justification	1-3	1-1
	General design principles.....	1-4	1-1
	2. PORT SITE SELECTION		
	Basic port site selection considerations.....	2-1	2-1
	Factors affecting site selection	2-2	2-1
	3. LAYOUT OF HARBOR FACILITIES		
	Harbor entrance.....	3-1	3-1
	Breakwaters.....	3-2	3-2
	Jetties	3-3	3-2
Anchorage basins.....	3-4	3-2	
Berthing basins.....	3-5	3-4	
Turning basins.....	3-6	3-4	
4. SITE INVESTIGATION			
Background data	4-1	4-1	
Hydrographic and topographic surveys	4-2	4-2	
5. COASTAL PROTECTION			
Shoreline stabilization.....	5-1	5-1	
Waves and wave pressures	5-2	5-2	
6. PIER AND WHARF LAYOUT			
Introduction.....	6-1	6-1	
Deck structures	6-2	6-1	
Transit shed	6-3	6-2	
Approaches	6-4	6-3	
Roll-on/roll-off ramps	6-5	6-3	
Transportation facilities.....	6-6	6-3	
7. LIVE-LOAD REQUIREMENTS			
Vertical loads	7-1	7-1	
Lateral loads	7-2	7-1	
Longitudinal loads.....	7-3	7-2	
Loading combinations.....	7-4	7-2	
8. STRUCTURAL DESIGN			
Structural types	8-1	8-1	
Deck structure design	8-2	8-1	
Substructure design	8-3	8-2	
Miscellaneous considerations.....	8-4	8-2	
9. FENDER SYSTEMS			
Function.....	9-1	9-1	
Types.....	9-2	9-1	
Selection of type	9-3	9-4	
Design procedure	9-4	9-5	
10. MOORING DEVICES			
Types.....	10-1	10-1	
Capacity and spacing	10-2	10-1	
Anchorage	10-3	10-1	
11. DOCKSIDE UTILITIES FOR SHIP SERVICE			
Water service	11-1	11-1	
Electric power	11-2	11-1	
Location and numbers of service points	11-3	11-1	
Miscellaneous.....	11-4	11-1	
12. CARGO HANDLING FACILITIES			
Cargo transfer between dock and vessel.....	12-1	12-1	
Cargo handling in the shed and storage areas	12-2	12-6	

*This publication supersedes TM 5-850-1, 1 July 1965

	Paragraph	Page
13. CONTAINER PORTS		
Planning.....	13-1	13-1
Types of container operations.....	13-2	13-2
Container handling equipment	13-3	13-2
Expedient container piers.....	13-4	13-4
APPENDIX A.	References	A-1
B.	Surfacing Requirements for Container Storage and Marshaling Areas.....	B-1
BIBLIOGRAPHY	BIBLIOGRAPHY-1
FIGURES		
Use of Offset Breakwater Heads to Shelter Entrance	3-1	3-3
Unified Soil Classification.....	4-1	4-3
Wave Characteristics	5-1	5-4
Deepwater Wave Forecasting Curves (for fetches of 1 to 1,000 miles)	5-2	5-5
Deepwater Wave Forecasting Curves (for fetches of 100 to more than 1,000 miles).....	5-3	5-6
Forecasting Curves for Shallow-Water Waves (constant depth = 5 feet)	5-4	5-7
Forecasting Curves for Shallow-Water Waves (constant depth = 10 feet).....	5-5	5-8
Forecasting Curves for Shallow-Water Waves (constant depth = 15 feet).....	5-6	5-9
Forecasting Curves for Shallow-Water Waves (constant depth = 20 feet).....	5-7	5-10
Forecasting Curves for Shallow-Water Waves (constant depth = 25 feet).....	5-8	5-11
Forecasting Curves for Shallow-Water Waves (constant depth = 30 feet).....	5-9	5-12
Forecasting Curves for Shallow-Water Waves (constant depth = 35 feet).....	5-10	5-13
Forecasting Curves for Shallow-Water Waves (constant depth = 40 feet).....	5-11	5-14
Forecasting Curves for Shallow-Water Waves (constant depth = 45 feet).....	5-12	5-15
Forecasting Curves for Shallow-Water Waves (constant depth = 50 feet).....	5-13	5-16
Types of Pier and Wharf Layouts	6-1	6-5
Various Widths of Apron for Different Operating Conditions	6-2	6-6
Open-Type Wharf Construction with Concrete Relieving Platform on Timber Piles	8-1	8-4
Open-Type Wharf Construction with Concrete Relieving Platform on Steel Pipe Piles	8-2	8-5
Open-Type Wharf Construction with Concrete Relieving Platform on Concrete Piles	8-3	8-6
Open-Type Wharf Construction with Concrete Relieving Platform on Caisson Piles	8-4	8-7
High-Level Open-Type Wharf Construction with Concrete Deck on Timber Piles.....	8-5	8-8
High-Level Open-Type Wharf Construction with Concrete Flat Slab Deck on Steel Pipe Piles	8-6	8-9
High-Level Open-Type Wharf Construction with Concrete Deck on Steel Pipe Piles.....	8-7	8-10
High-Level Open-Type Wharf Construction with Concrete Deck on Precast Prestressed Concrete Caisson.....	8-8	8-11
High-Level Open-Type Wharf Construction with Precast Concrete Deck on Concrete Piles.....	8-9	8-12
High-Level Open-Type Wharf Construction with Concrete Deck on Prestressed Concrete Beams-Steel Pipe Piles.....	8-10	8-13
Solid Fill-Type Wharf Construction with Steel Sheet Pile Bulkhead	8-11	8-14
Solid Fill-Type Wharf Construction with Steel Sheet Pile Bulkhead and Relieving Platform Anchor	8-12	8-15
Solid Fill-Type Wharf Construction with Circular Steel Sheet Pile Cells.....	8-13	8-16
Solid Fill-Type Wharf Construction with Cellular Steel Bulkhead	8-14	8-17
Solid Fill-Type Wharf Construction with Reinforced Concrete Crib Wharf.....	8-15	8-18
Timber Deck Structure	8-16	8-19
Typical Expansion Joint Detail.....	8-17	8-20
Timber Pile-Fender Systems	9-1	9-10
Energy-Absorption Characteristics of Conventional Timber Pile Fenders	9-2	9-11
Hung Timber Fender System	9-3	9-12
Typical Retractable Fender Systems.....	9-4	9-13
Resilient Fender System (spring rubber bumper)	9-5	9-14
Resilient Fender System (rubber-in-compression).....	9-6	9-16
Load-Deflection and Energy-Absorption Characteristics (radially loaded cylindrical rubber dock fenders)	9-7	9-16
Load-Deflection and Energy-Absorption Characteristics (radially loaded rectangular rubber dock fenders).....	9-8	9-17
Load-Deflection and Energy-Absorption Characteristics (axially loaded cylindrical rubber dock fenders)	9-9	9-18
Resilient Fender System (rubber in shear) by Raykin.....	9-10	9-19
Load-Deflection and Energy-Absorption Characteristics of Commercially Available Raykin Buffers	9-11	9-20
Typical Lord Flexible Fender Systems.....	9-12	9-22
Load-Deflection and Energy-Absorption Characteristics of Lord Flexible Fender.....	9-13	9-23
Rubber-In-Torsion Fender	9-14	9-24
Yokohama Pneumatic Rubber Fenders (jetty and quay use).....	9-15	9-25
Yokohama Pneumatic Rubber Fenders (dimension of jetty at the time of installation).....	9-16	9-26
Yokohama Pneumatic Rubber Fenders (this size used for berthing 5,000-to 20,000-ton ships)	9-17	9-27
Yokohama Pneumatic Rubber Fenders (this size used for berthing 25,000-to 200,000-ton ships)	9-18	9-28
Suspended Fender	9-19	9-29
Resilient Fender System (dashpot)	9-20	9-30
Floating Camel Fenders	9-21	9-31

FIGURES

	Paragraph	Page
Single and Double Bitt Bollards	10-1	10-1
Plan and Elevation Views of a Corner Mooring Post.....	10-2	10-2
Plan and Elevation Views of an Open Wide-Base Cleat.....	10-3	10-2
Typical Chocks.....	10-4	10-3
Typical Pad Eye.....	10-5	10-3
Typical Power Capstan.....	10-6	10-4
Typical Releasing Hook.....	10-7	10-4
Typical Layout of Mooring Devices	10-8	10-5
Typical Water-Supply Connection in Deck of Pier.....	11-1	11-2
Burton System.....	12-1	12-4
Typical Heavy Duty, Rubber-Tired Gantry Crane	12-2	12-5
Typical Rail-Mounted Gantry Crane	12-3	12-6
Fixed Derrick	12-4	12-7
Container Off-Loading Through the use of Crawler-Mounted Cranes	12-5	12-8
Crane Capacities	12-6	12-9
Recommended Container Storage and Marshaling Area.....	13-1	13-3
LARC LX	B-1	B-8
Shoremaster	B-2	B-8
Clark 512	B-3	B-9
Belotti B67b	B-4	B-9
Hyster H620B	B-5	B-10
LeTro-Porter 2582	B-6	B-11
Lancer 3500	B-7	B-11
Travellift CH 1150	B-8	B-12
P&H 6250-TC	B-9	B-13
LeTro Crane GC-500	B-10	B-14
M52 Tractor-Trailer	B-11	B-15
CBR Required for Operation of Aircraft on Unsurfaced Soils	B-12	B-16
Flexible Pavement Design Curves for LARC LX (amphibian)	B-13	B-17
Flexible Pavement Design Curves for Shoremaster (straddle carrier)	B-14	B-18
Flexible Pavement Design Curves for Clark 512 (straddle carrier)	B-15	B-19
Flexible Pavement Design Curves for Belotti B67b (straddle carrier)	B-16	B-20
Flexible Pavement Design Curves for Hyster H620B (front-loading forklift)	B-17	B-21
Flexible Pavement Design Curves for LeTro-Porter 2582 (front-loading forklift).....	B-18	B-22
Flexible Pavement Design Curves for Lancer 3500 (sideloading forklift).....	B-19	B-23
Flexible Pavement Design Curves for Travellift CH 1150 (yard gantry).....	B-20	B-24
Flexible Pavement Design Curves for P&H 6250-TC (mobile crane)	B-21	B-25
Flexible Pavement Design Curves for LeTro Crane GC-500 (mobile gantry crane)	B-22	B-26
Flexible Pavement Design Curves for M52 Tractor and Trailer (truck-trailer combination).....	B-23	B-27

TABLES

Diameter of Berth (in Yards) Using Ship's Anchor and Chain	2-1	2-3
Diameter of Berth (in Yards) Using Standard Fleet Moorings, Telephone Buoy.....	2-2	2-4
Diameter of Berth (in Yards) Using Standard Fleet Moorings, Riser Chain	2-3	2-5
Pneumatic Fenders for Military Uses.....	9-1	9-3
Load-Deflection and Energy-Absorption Characteristics of Fixed-Unit Type of Pneumatic Tire-Wheel Fender (based on Firestone Burleigh Technical Data Sheet).....	9-2	9-6
Energy to be Absorbed by Fenders	9-3	9-7
Comparative Merits of Different Construction Materials in Energy-Absorption Capacity	9-4	9-9
Characteristics of Various Commercially Available Cranes	12-1	12-3
Design Criteria Restrictions (200-10,000 Passes)	B-1	B-4
CBR and Thickness Requirements for 200 and 10,000 Passes of Container Handling Vehicles Operating on Unsurfaced Soils with Subgrade Strengths of 4 and 10 CBR ^a	B-2	B-5
Design Criteria Restrictions (200-50,000 Passes)	B-3	B-6
CBR and Thickness Requirements for 200, 10,000, and 50,000 Passes of Container-Handling Vehicles Operating on Soils Surfaces with M8A 1 Landing Mat and with Subgrade Strength of 4 and 10 CBR ^a	B-4	B-7