

TECHNICAL MANUAL

No. 5-811-5

HEADQUARTERS
DEPARTMENT OF THE ARMY
Washington, DC 13 December 1991

ARMY AVIATION LIGHTING

| | | Paragraph | Page |
|--|--|-----------|------|
| CHAPTER 1. | GENERAL | | |
| Purpose | Procurement of lighting system materials and equipment for Army airfields, heliports, and helipads | 1-1 | 1-1 |
| Scope | Advertising for lighting facilities | 1-2 | 1-1 |
| References | Basis of measurement in procurement | 1-3 | 1-1 |
| Deviations | Design analysis | 1-4 | 1-1 |
| | Abbreviations used in this manual | 1-5 | 1-2 |
| Chapter 2. | AIRFIELD RUNWAY AND APPROACH LIGHTING SYSTEMS | | |
| General design and layout criteria | General design and layout criteria | 2-1 | 2-1 |
| Description | Description | 2-2 | 2-1 |
| Criteria | Criteria | 2-3 | 2-1 |
| Runway edge lighting configuration | Runway edge lighting configuration | 2-4 | 2-1 |
| Threshold lighting configuration | Threshold lighting configuration | 2-5 | 2-5 |
| Approach lighting configurations | Approach lighting configurations | 2-6 | 2-5 |
| New approach lighting systems at existing Army airfields | New approach lighting systems at existing Army airfields | 2-7 | 2-14 |
| Lighting of parallel runways | Lighting of parallel runways | 2-8 | 2-16 |
| Lighting of intersection runways | Lighting of intersection runways | 2-9 | 2-16 |
| Lighting equipment | Lighting equipment | 2-10 | 2-16 |
| Power supply and circuits | Power supply and circuits | 2-11 | 2-17 |
| Control system | Control system | 2-12 | 2-17 |
| Chapter 3. | HELIPORT AND HELICOPTER STAGEFIELD LIGHTING SYSTEMS | | |
| General design and layout criteria | General design and layout criteria | 3-1 | 3-1 |
| Description | Description | 3-2 | 3-1 |
| Lighting equipment | Lighting equipment | 3-3 | 3-1 |
| Power supply and circuits | Power supply and circuits | 3-4 | 3-4 |
| Control system | Control system | 3-5 | 3-4 |
| Chapter 4. | HELIPAD LIGHTING SYSTEM FOR VISUAL FLIGHT RULES | | |
| General design | General design | 4-1 | 4-1 |
| Electric service | Electric service | 4-2 | 4-1 |
| Description of helipad lighting | Description of helipad lighting | 4-3 | 4-1 |
| Helipad lighting equipment | Helipad lighting equipment | 4-4 | 4-3 |
| Helipad lighting power supply and circuits | Helipad lighting power supply and circuits | 4-5 | 4-5 |
| Chapter 5. | HELIPAD AND HELIPORT APPROACH LIGHTING SYSTEMS | | |
| General Design | General Design | 5-1 | 5-1 |
| Terminology | Terminology | 5-2 | 5-1 |
| VMC and IMC approach directional lights | VMC and IMC approach directional lights | 5-3 | 5-2 |
| Design | Design | 5-4 | 5-2 |
| Luminous features | Luminous features | 5-5 | 5-2 |
| Chapter 6. | TAXIWAY LIGHTING SYSTEMS | | |
| Taxiway lighting description | Taxiway lighting description | 6-1 | 6-1 |
| Criteria for taxiway lighting | Criteria for taxiway lighting | 6-2 | 6-1 |
| Lighting configurations | Lighting configurations | 6-3 | 6-1 |
| Lighting equipment for taxiways | Lighting equipment for taxiways | 6-4 | 6-5 |
| Power supply and circuits | Power supply and circuits | 6-5 | 6-6 |
| Taxiway lighting control system | Taxiway lighting control system | 6-6 | 6-7 |

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED

* This manual supersedes TM 5-811-5, dated 15 September 1989

| | | Paragraph | Page |
|-------------|--|-----------|------|
| Chapter 7. | AUXILIARY LIGHTING AND ELECTRIC POWER | | |
| | Nature of auxiliary lighting and power | 7-1 | 7-1 |
| | wind direction indicator | 7-2 | 7-1 |
| | Other auxiliary lights | 7-3 | 7-1 |
| | Electrical outlets for power | 7-4 | 7-2 |
| | Beacons | 7-5 | 7-2 |
| | Army airfields | 7-6 | 7-3 |
| | Obstruction lights | 7-7 | 7-3 |
| Chapter 8. | INSTALLATION OF AVIATION LIGHTING SYSTEMS | | |
| | Coverage | 8-1 | 8-1 |
| | Underground materials and equipment | 8-2 | 8-1 |
| | Lights in concrete pads | 8-3 | 8-1 |
| | Lightning protection | 8-4 | 8-2 |
| | Decisions regarding continued use of obsolete lighting equipment | 8-5 | 8-2 |
| | Testing and maintenance of Army airfield and heliport lighting systems | 8-6 | 8-2 |
| | Electrical supply | 8-7 | 8-2 |
| Chapter 9. | LIGHTING EQUIPMENT VALUT | | |
| | Purpose of vault | 9-1 | 9-1 |
| | Design of vault | 9-2 | 9-1 |
| | Heliport lighting control vault or house | 9-3 | 9-2 |
| Chapter 10. | CONTROL SYSTEMS AND REGULATORS | | |
| | Energizing and brightness control | 10-1 | 10-1 |
| | Lighting system control points | 10-2 | 10-1 |
| | Airfield control tower | 10-3 | 10-1 |
| | Lighting control panels and relays | 10-4 | 10-1 |
| | Runway lighting controls | 10-5 | 10-2 |
| | Taxiway lighting controls | 10-6 | 10-3 |
| | Auxiliary lighting controls | 10-7 | 10-3 |
| | Approach lighting controls | 10-8 | 10-3 |
| | Grounding | 10-9 | 10-3 |
| | Control cables and terminations | 10-10 | 10-3 |
| | Lighting power supply and circuits | 10-11 | 10-3 |
| | Constant current regulators | 10-12 | 10-3 |
| | Heliport lighting system control components | 10-13 | 10-4 |
| APPENDIX A. | REFERENCES | | A-I |

LIST OF FIGURES

| | | |
|-------------|--|------|
| Figure 2-1. | Typical layout Army airfield lighting facilities | 2-2 |
| 2-2 | Typical one line block diagram for Army airfield lighting systems | 2-3 |
| 2-3. | Installation details for elevated runway and taxiway marker lights | 2-4 |
| 2-4. | Installation details for runway, taxiway and threshold marker lights | 2-7 |
| 2-5. | Typical layout for MALSF | 2-8 |
| 2-6. | Typical installation details for MALSF equipment | 2-9 |
| 2-7. | Typical layout for MALSF | 2-10 |
| 2-6. | Typical layout for ALSF-2 | 2-11 |
| 2-9. | Typical layout for ODALS | 2-12 |
| 2-10. | Example layout for LDIN | 2-13 |
| 2-11. | Modification for existing MALSF installation | 2-15 |
| 3-1. | Typical one line block diagram for Army heliport lighting system | 3-2 |
| 3-2. | Layout Army heliport lighting facilities | 3-3 |
| 3-3. | Typical layout of Army helicopter stagefield lighting system | 3-5 |
| 4-1. | Layout of perimeter light fittings | 4-2 |
| 4-2. | Layout of landing direction light fittings | 4-3 |
| 4-3. | Layout of approach direction light fittings | 4-4 |
| 4-4. | Layout of optional floodlights and inset lighting fixtures | 4-5 |
| 4-5. | Control diagram for heliport lighting (w/o control tower) | 4-6 |
| 4-6. | Control diagram for heliport lighting (with control tower) | 4-7 |
| 5-1. | VMC configuration | 5-3 |
| 5-2. | IMC configuration | 5-4 |
| 5-3. | Vertical divergence and intensity stages | 5-5 |

LIST OF FIGURES (continued)

| | | Paragraph | Page |
|-------------|---|-----------|------|
| Figure 6-1. | Typical examples straight sections - more Than 200 feet | 6-2 | |
| 6-2. | Typical examples straight sections - less than 200 feet | 6-3 | |
| 6-3. | Typical examples single straight edges - more than 200 feet | 6-4 | |
| 6-4. | Typical examples single straight edges - less than 200 feet | 6-5 | |
| 6-5. | Spacing of lights on curved edges | 6-6 | |
| 6-6. | Location of entrance and exit signs | 6-7 | |
| 6-7. | Location of entrance and exit lights | 6-8 | |
| 6-8. | Typical example portion of runway used as taxiway | 6-9 | |

LIST OF TABLES

| | | |
|------------|--|-----|
| Table 5-1. | Operating categories | 5-1 |
| 5-2. | Luminaire setting angles for given approach angles | 5-2 |