APPENDIX A: REFERENCES

A-1. Required References

a. Predesign investigation requirements.

EM 1110-1-4000
EM 1110-1-4000, Monitor Well Design, Installation, and Documentation at Hazardous and/or Toxic Waste Sites.

ETL 1110-2-282
ETL 1110-2-282, Rock Mass Classification Data Requirements for Rippability.

EPA/530/R-93/001
RCRA Ground-Water Monitoring: Technical Enforcement Guidance Document, EPA/530/R-93/001.

EPA 600/4-89/034
Handbook of Suggested Practices for the Design and Installation of Ground-Water Monitoring Wells, EPA 600/4-89/034.

b. Covers and landfills.

TM 5-822-12
TM 5-822-12, Design of Aggregate Surfaced Roads and Airfields.

EM 1110-2-1913
EM 1110-2-1913, Design and Construction of Levees.

EP 200-1-2
EP 200-1-2, Process and Procedures for RCRA Manifesting.

EPA/600/R-94/168a
The Hydrologic Evaluation of Landfill Performance (HELP) Model, Users Guide Version 3, EPA/600/R-94/168a.

EPA/600/R-94/168b
The Hydrologic Evaluation of Landfill Performance (HELP) Model, Engineering Documentation for Version 3, EPA/600/R-94/168b.

EPA/530-SW-89/047
Final Covers on Hazardous Waste Landfills and Surface Impoundments, EPA/530-SW-89/047.

EPA/625/4-91/025
Design and Construction of RCRA/CERCLA Final Covers, EPA/625/4-91/025.

EPA/625/6-88/018
Guide to Technical Resources for the Design of Land Disposal Facilities, EPA/625/6-88/018.

Technical Document Number 32
Technical Document Number 32, Hydrologic Analysis with HEC-1 on a Personal Computer, Hydrologic Engineering Center, U.S. Army Corps of Engineers, 1991.

NWS TP 40
NWS TP 40, Rainfall Frequency Atlas of the United States, 30-minute to 24 hour Durations, 1 to 100 year Return Periods, 1961.

NWS Technical Memorandum HYDRO-35
NWS Technical Memorandum HYDRO-35, Five to 60 Minute Precipitation Frequency for the Eastern and Central U.S., 1977.

Daniel 1993
Daniel, D. E. 1993. Geotechnical Practice for Waste Disposal, Chapman and Hall.

c. Geosynthetics.

AASHTO-ABC-ARBTA
AASHTO-ABC-ARBTA, Task Force Number 25, Specification for Geotextiles, American Association of State Highway and Transportation Officials.

AASHTO M 252-90
AASHTO M 252-90, Corrugated Polyethylene Drainage Tubing, Standard Specifications for Transportation Materials and Methods of Sampling and Testing, Fifteenth Edition, American Association of State Highway and Transportation Officials, 1990.

AASHTO M 288-92
AASHTO M 288-92, Interim Geotextile Specification for Highway Applications, Standard Specifications for Transportation Materials and Methods of Sampling and Testing, Sixteenth Edition, American Association of State Highway and Transportation Officials, 1992.

AASHTO M 294-90
AASHTO M 294-90, Corrugated Polyethylene Pipe, 12 to 36 inch Diameter, Standard Specifications for Transportation Materials and Methods of Sampling and Testing, Fifteenth Edition, American Association of State Highway and Transportation Officials, 1990.

Koerner 1990
Koerner, R. M. 1990. Designing with Geosynthetics, 2nd edition, Prentice Hall.

DeBerardino 1993a
Deberardino. 1993a. Filtration Design: A Look at the State-of-the-Practice, Geotechnical Fabrics Report, November 1993.

DeBerardino 1993b
Deberardino. 1993b. Filtration Design Examples: Implementing the State of the Practice, Geotechnical Fabrics Report, December 1993.

d. Quality assurance/quality control.

EPA/600/R-93/182
Quality Assurance and Quality Control for Waste Containment Facilities, EPA/600/R-93/182.

e. Stability considerations.

Edris and Wright 1992
Edris, E. V., Jr., and Wright, S. G., Instruction Report GL-87-1, User's Guide: UTEXAS3 Slope-Stability Package, U.S. Army Engineer Waterways Experiment Station.

Landvua and Clark 1990
Landvua, Arvid O., and Clark, Jack I., Geotechnics of Waste Fills, ASTM STP 1070 - Geotechnics of Waste Fills.

f. Settlement.

EM 1110-1-1904
EM 1110-1-1904, Settlement Analysis.

Sowers 1973
Sowers, G. F., Settlement of Waste Disposal Fills, Proceedings 8th International Conference on Soil Mechanics and Foundation Engineering, Moscow.

EPA/600/2-85/035
Settlement and Cover Subsidence in Hazardous Waste Landfills, EPA/600/2-85/035.

EPA/600/52-87/025
Prediction/Mitigation of Subsidence Damage to Hazardous Waste Landfill Covers, EPA/600/52-87/025.

Morris and Woods 1994
Morris, Derek V., and Woods, Calvin E. 1994. Settlement and Engineering Considerations in Landfill and Final Cover Design, ASTM STP 1070 - Geotechnics of Waste Fills.

Ranguette and Wvellner 1994
Ranguette, Valeri J., and Wvellner, William W. 1994. Settlement of Municipal Waste, ASTM STP 1070 - Geotechnics of Waste Fills.

g. Clay liners/alternate barriers.

EPA/600/R-93/171
Report of Workshop on Geosynthetic Clay Liners, EPA/600/R-93/171.

h. Gas vent design.

EPA-450/3-90-011a
Air Emissions from Municipal Solid Waste Landfills - Background Information for Proposed Standards and Guidelines, EPA-450/3-90-011a.

i. Leachate and internal drainage systems.

EM 1110-2-1901
EM 1110-2-1901, Seepage Analysis and Control for Dams.

j. Erosion and sediment control.

Goldman, et al. 1986
Goldman, et al, *Erosion and Sediment Handbook*, McGraw Hill.

k. Code of Federal Regulations.

40 CFR 258
40 CFR 258, Criteria for Municipal Solid Waste Landfills.

40 CFR 260
40 CFR 260, Hazardous Waste Management System: General.

40 CFR 261
40 CFR 261, Identification and Listing of Hazardous Waste.

40 CFR 262
40 CFR 262, Standards Applicable to Generators of Hazardous Waste.

40 CFR 263
40 CFR 263, Standards Applicable to Transporters of Hazardous Waste.

40 CFR 264
40 CFR 264, Standards for Owners and Operators of Hazardous Waste Treatment, Storage, and Disposal Facilities.

40 CFR 265
40 CFR 265, Interim Status Standards for Owners and Operators of Hazardous Waste Treatment, Storage, and Disposal Facilities.

40 CFR 266
40 CFR 266, Standards for the Management of Specific Hazardous Wastes and Specific Types of Hazardous Waste.

40 CFR 267
40 CFR 267, Interim Standards for Owners and Operators of New Hazardous Waste Land Disposal Facilities.

40 CFR 268
40 CFR 268, Land Disposal Restrictions.

49 CFR 100-180
49 CFR 100-180, DOT Hazardous Materials, Substances, and Waste Regulations.

l. Engineer regulations.

ER 1110-1-263
ER 1110-1-263, Chemical Data Quality Management for Hazardous Waste Remedial Activities.

ER 385-1-92
ER 385-1-92, Safety and Occupational Health Document Requirements for Hazardous, Toxic, and Radioactive Waste (HTRW) and Ordinance and Explosives.

m. Corps of Engineers guide specifications.

CEGS-01110
CEGS-01110, Safety, Health and Emergency Response.

CEGS-01300
CEGS-01300, Submittals Descriptions.

CEGS-01305
CEGS-01305, Submittals Procedure.

CEGS-01440
CEGS-01440, Contractors Quality Control.

CEGS-01450
CEGS-01450, Contractors Chemical Quality Control.

CEGS-02050
CEGS-02050, Demolition.

CEGS-02080
CEGS-02080, Asbestos Abatement.

CEGS-02110
CEGS-02110, Clearing and Grubbing.

CEGS-02210
CEGS-02210, Grading.

CEGS-02222
CEGS-02222, Excavation, Trenching and Backfilling for Utilities.

CEGS-02233
CEGS-02233, Graded-Crushed-Aggregate Base Course.

CEGS-02234
CEGS-02234, Subbase Course.

CEGS-02271
CEGS-02271, Geomembrane Barrier for Landfill Cover.

CEGS-02272
CEGS-02272, Separation/Filtration Geotextile.

CEGS-02273
CEGS-02273, Geonet.

CEGS-02442
CEGS-02442, Geosynthetic Clay Liner.

CEGS-02443
CEGS-02443, Low Permeability Clay Layer.

CEGS-02546
CEGS-02546, Aggregate Surface Course.

CEGS-02671
CEGS-02671, Ground-Water Monitoring Wells.

CEGS-02720
CEGS-02720, Storm Drainage System.

CEGS-02730
CEGS-02730, Sanitary Sewers.

CEGS-02831
CEGS-02831, Chain-Link Fence.

CEGS-02935
CEGS-02935, Turf.

CEGS-02950
CEGS-02950, Trees, Shrubs, Ground Covers, and Vines.

CEGS-03100
CEGS-03100, Structural Concrete Formwork.

CEGS-03200
CEGS-03200, Concrete Reinforcement.

CEGS-03250
CEGS-03250, Expansion Joints, Contraction Joints, and Water Stops.

CEGS-03300
CEGS-03300, Concrete for Building Construction.

CEGS-05210
CEGS-05210, Steel Joists.

CEGS-05500
CEGS-05500, Miscellaneous Metal.

CEGS-15488
CEGS-15488, Gas Piping System.

n. American Society for Testing and Materials.

ASTM D 698
ASTM D 698, Laboratory Compaction Characteristics of Soil Using Standard Effort (12,400 ft-lbf/ft^3 (600 kN-m/m^3)).

ASTM D 1557
ASTM D 1557, Laboratory Compaction Characteristics of Soil Using Modified Effort (56,000 ft-lbf/ft^3 (2,700 kN-m/m^3)).

ASTM D 1987
ASTM D 1987, Biological Clogging of Geotextiles or Soil/Geotextile Filters.

ASTM D 2487
ASTM D 2487, Classification of Soils for Engineering Purposes (Unified Soil Classification System).

ASTM D 4533
ASTM D 4533, Trapezoidal Tearing Strength of Geotextiles.

ASTM D 4595
ASTM D 4595, Tensile Properties of Geotextiles by the Wide-Width Strip Method.

ASTM D 4632
ASTM D 4632, Grab Breaking Load and Elongation of Geotextiles.

ASTM D 4716
ASTM D 4716, Constant Head Hydraulic Transmissivity (In-Plane Flow) of Geotextiles and Geotextile Related Products.

ASTM D 4833
ASTM D 4833, Index Puncture Resistance of Geotextiles, Geomembranes, and Related Products.

ASTM D 4884
ASTM D 4884, Seam Strength of Sewn Geotextiles.

ASTM D 5084
ASTM D 5084, Measurement of Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter.

ASTM D 5092-90
ASTM D 5092-90, Recommended Practice for Design and Installation of Ground-Water Monitoring Wells in Aquifers.

ASTM D 5101
ASTM D 5101, Measuring the Soil-Geotextile System Clogging Potential by the Gradient Ratio.

ASTM D 5299-92
ASTM D 5299-92, Guide for the Decommissioning of Ground Water Wells, Vadose Zone Monitoring Devices, Boreholes and Other Devices for Environmental Activities.

ASTM D 5321
ASTM D 5321, Determining the Coefficient of Soil and Geosynthetic or Geosynthetic and Geosynthetic Friction by the Direct Shear Method.

A-2. Related References

a. Predesign investigation requirements.

EM 200-1-3
EM 200-1-3, Requirements for the Preparation of Sampling and Analysis Plans.

EM 1110-1-1802
EM 1110-1-1802, Geophysical Exploration.

EM 1110-1-1804
EM 1110-1-1804, Geotechnical Investigations.

EM 1110-2-1907
EM 1110-2-1907, Soil Sampling.

EPA/330/9-81/002
Manual for Groundwater/Subsurface Investigations at Hazardous Waste Sites, EPA/330/9-81/002.

EPA/530/SW-611
Procedures Manual for Ground Water Monitoring at Solid Waste Disposal Facilities, EPA/530/SW-611.

EPA 530/SW-846
Test Methods for Evaluating Solid Waste, EPA 530/SW-846.

EPA 600/4-84/076
Characterization of Hazardous Waste Sites-A Methods Manual: Volume I, Site Investigations, EPA 600/4-84/076.

EPA 600/4-91/029
Guide to Site and Soil Description for Hazardous Waste Sites, EPA 600/4-91/029.

EPA 600/7-84/007
Geophysical Techniques for Sensing Buried Wastes and Waste Migration, EPA 600/7-84/007.

EPA 600/8-89/046
Soil Sampling Quality Assurance Users Guide, EPA 600/8-89/046.

EPA 625/4-91/026
Site Characterization for Subsurface Remediation, EPA 625/4-91/026.

EPA 625/6-90/016b
Handbook-Ground Water Vol. I, EPA 625/6-87/016 and Vol. II: Methodology, EPA 625/6-90/016b.

EPA 625/12-91/002
Description and Sampling of Contaminated Soils: A Field Pocket Guide, EPA 625/12-91/002.

EPA 625/R-92/007
Use of Airborne, Surface and Borehole Geophysical Techniques at Contaminated Sites, EPA 625/R-92/007.

EPA 625/R-93/003
Subsurface Characterization and Monitoring Techniques: A Desk Reference Guide, EPA 625/R-93/003.

Moylan 1991
Moylan, J. E. 1991. Pitfalls of Restrictive Site Characterization, Conference Proceedings-Design and Construction Issues at Hazardous Waste Sites, EPA/540/8-91/012, May 1991.

Moses 1991
Moses, D. D. 1991. Remedial Design Procedures for RCRA/CERCLA Final Covers, Conference Proceedings-Design and Construction Issues at Hazardous Waste Sites, EPA/540/8-91/012, May 1991.

b. Covers and landfills.

TM 5-814-5
TM 5-814-5, Sanitary Landfill.

TM 5-814-7
TM 5-814-7, Hazardous Waste Land Disposal/Land Treatment Facilities.

CERI 90-50
Seminar Notes-Design and Construction of RCRA/CERCLA Final Covers, CERI 90-50.

EPA/625/K-91/001
Construction Quality Assurance/Quality Control (CQA/CQC) for Waste Containment Facilities - Hydraulic Evaluation of Landfill Performance (HELP) Model, EPA/625/K-91/001.

EPA/530/SW-84/004
Permit Applicants Guidance Manual for Hazardous Waste Land Treatment, Storage, and Disposal Facilities, EPA/530/SW-84/004.

EPA/540/2-85/002
Covers for Uncontrolled Hazardous Waste Sites, EPA/540/2-85/002.

EPA/600/2-84/021
Laboratory Studies of Soil Bedding Requirements for Flexible Membrane Liners, EPA/600/2-84/021.

EPA/600/2-84/168
Field Studies of Liner Installation Methods at Landfills and Surface Impoundments, EPA/600/2-84/168.

EPA/600/2-88/052
Lining of Waste Containment and Other Impoundment Facilities, EPA/600/2-88/052.

EPA/600/D-90/088
Guidance Documents Relating to Landfills and Contaminants, EPA/600/D-90/088.

EPA/600/K-92/002
Seminar Notes-Design, Operation and Closure of Municipal Solid Waste Landfills, EPA/600/K-92/002.

EPA/600/S2-87/039
Design, Construction, and Maintenance of Cover Systems for Hazardous Waste, EPA/600/S2-87/039.

EPA/625/4-89/002
Requirements for Hazardous Waste Landfill Design, Construction, and Closure, EPA/625/4-89/002.

c. Geosynthetics.

EPA/530/SW-89/069
The Fabrication of Polyethylene FML Field Seams, EPA/530/SW-89/069.

EPA/530/SW-91/051
Inspection Techniques for the Fabrication of Geomembrane Field Seams, EPA/530/SW-91/051.

EPA/600/R-93/112
Proceedings of the Workshop on Geomembrane Seaming: Data Acquisition and Control, EPA/600/R-93/112.

NSF 54-1991
Flexible Membrane Liners, NSF International Standard, NSF 54-1991, National Sanitation Foundation, 1991.

GRI Test Methods and Standards, Geosynthetic Research Institute, 1991.

Proceedings of a Seminar on Very Soft Soil Stabilization Using Geosynthetics, Geosynthetics Research Institute, 22-23 October 1987.

Proceedings of a Seminar on Durability and Aging of Geosynthetics, Geosynthetics Research Institute, 8-9 December 1988.

Proceedings of the 3rd GRI Seminar on the topic of The Seaming of Geosynthetics, Geosynthetics Research Institute, 14-15 December 1989.

Proceedings of the 4th GRI Seminar on the topic of Landfill Closures: Geosynthetics, Interface Friction and New Developments, Geosynthetics Research Institute, 13-14 December 1990.

Proceedings of the 5th GRI Seminar on the topic of Geosynthetics in Filtration, Drainage and Erosion Control, Geosynthetics Research Institute, 12-13 December 1991.

Proceedings of the 6th GRI Seminar: MQC/MQA and CQC/CQA of Geosynthetics, Geosynthetics Research Institute, 10-11 December 1992.

Proceedings of the 7th GRI Seminar: Geosynthetic Liner Systems: Innovations, Concerns and Designs, Geosynthetics Research Institute, 14-15 December 1993.

Geotechnical Fabrics Report, Industrial Fabrics Association International, St Paul, MN.

d. Quality assurance/quality control.

NTIS PB87-132825
Construction Quality Assurance for Hazardous Waste Land Disposal Facilities, NTIS PB87-132825.

ASTM Standards and Other Specifications and Test Methods on the Quality Assurance of Landfill Liner Systems, 1994. ASTM Publication Code Number: 03-435193-38.

e. Stability considerations.

Koerner and Bao-Lin 1990
Koerner, R. M., and Bao-Lin H. W. U. 1990. Stability and Tension Considerations Regarding Cover Soils on Geomembrane Lined Slopes, Geosynthetic Research Institute.

Mitchell, Seed, and Seed
Mitchell, James K., Seed, Raymond B., and Seed, H. Bolton, Stability Considerations in the Design and Construction of Lined Waste Repositories, ASTM STP 1070-Geotechnics of Waste Fills.

Singh and Murphy
Singh, Sukhnander, and Murphy, Bruce J., Evaluation of the Stability of Sanitary Landfills, STP ASTM 070-Geotechnics of Waste Fills.

f. Settlement.

EPA-600/2-85/035
Settlement and Cover Subsidence of Hazardous Waste Landfills, EPA-600/2-85/035.

Yen and Scanlon 1975
Yen, B. C. and Scanlon B. 1975. Sanitary Landfill Settlement Rates, Journal of the Geotechnical Engineering Division, ASCE, May 1975, pages 475-487.

g. Clay liners/alternate barriers.

EPA/530/SW-86/007F
Design, Construction and Evaluation of Clay Liners for Waste Management Facilities, EPA/530/SW-86/007F.

EPA/600/2-88/067
Field and Laboratory Testing of a Compacted Soil Liner, EPA/600/2-88/067.

EPA/600/2-91/002
Compilation of Information on Alternative Barriers for Liner and Cover Systems, EPA/600/2-91/002.

EPA/600/J-86/460
Clay Liner Construction and Quality Control, EPA/600/J-86/460.

EPA/600/S-92/024
Construction, Monitoring, and Performance of Two Soil Liners, USEPA Project Summary, EPA/600/S-92/024.

Boutwell and Tsai 1992
Boutwell, Gordon P., and Tsai, Ching N. 1992. The Two-Stage Field Permeability Test for Clay Liners, Geotechnical News, June 1992.

Hasan and Hoyt 1992
Hasan, S. E., and Hoyt, A. J. 1992. Model Experiment on Leachate Migration Through a Clayey Soil, Bulletin of the Association of Engineering Geologists, Vol. XXIX, No. 3, 311-327.

Shackelford and Jared 1991
Shackelford, C. D. and Jared, F. 1991. Large-Scale Laboratory Permeability Testing of a Compacted Clay Soil, Geotechnical Testing Journal, ASTM, 1991.

Kim and Daniel 1992
Kim, Woon-Hyung, and Daniel, David E. 1992. Effects of Freezing on Hydraulic Conductivity of Compacted Clay, ASCE Journal of Geotechnical Engineering, Vol. 118, No. 7, July 1992, 1083-1097.

Zimmie 1992
Zimmie, Thomas F. 1992. Freeze-Thaw Effects on Permeability of Compacted Clay Liners and Covers, Geotechnical News, March 1992.

h. Gas vent design.

Pohland and Harper
Pohland, Frederick G., and Harper, Stephen R., Critical Review and Summary of Leachate and Gas Production from Landfills, EPA/600/2-86/073.

Bagchi 1990
Bagchi, Amalendu. 1990. Design, Construction, and Monitoring of Sanitary Landfills, John Wiley, New York, NY, 1990.

EMCON Associates 1980
EMCON Associates, Methane Generation and Recovery from Landfills, Ann Arbor Science, Ann Arbor, MI.

Ham and Barlaz 1987
Ham, Robert K., and Barlaz, Morton A., Measurement and Prediction of Landfill Gas Quality and Quantity, ISWA International Symposium, “Process,

Technology, and Environmental Impact of Sanitary Landfills," Cagliari, Sardinia, Italy, October 20-23, 1987.

University of Wisconsin Sanitary Landfill Leachate and Gas Management Seminar, Madison, WI, December 4-7, 1989.

i. Leachate and internal drainage systems.

EPA/600/2-87/049
Verification of the Lateral Drainage Component of the HELP Model using Physical Models, EPA/600/2-87/049.

EPA/600/2-87/050
Verification of the HELP Model Using Field Data, EPA/600/2-87/050.

EPA/600/D-86/058
Avoiding Failure of Leachate Collection and Cap Drainage Systems, EPA/600/D-86/058.

Koerner and Eith
Koerner, R. M., Eith, A. W., Field Evaluation of Geonet Flow Rate (Transmissivity) Under Increasing Load, GRI - 123.

Cedergren 1977
Cedergren, H. R., Seepage, Drainage and Flow Nets, 2nd Edition, John Wiley and Sons.

j. Erosion and sediment control.

Engineering Standard, Terrace, 600-1, Soil Conservation Service, March 1983.

k. Landfill refuse materials handling and regrading.

Caterpillar Performance Handbook, Caterpillar, Inc., 1989.